T2031001040-000 ACTIVE

TE Internal #: T2031001040-000

Pin Contact, Silver (Ag), Locking Spring Contact Retention, 12 AWG

Wire Size, Crimp, Copper Alloy, Power & Signal, -40 – 125 °C [-40 –

125 °F]

View on TE.com >



Connectors > Contacts > Connector Contacts > BPSC Stacked Hybrid Connector: Male Female Contact, 7-12 AWG



Contact Type: Pin

Contact Mating Area Plating Material: Silver (Ag)

Wire Contact Termination Area Plating Material: Silver
Contact Retention Type Within Housing: Locking Spring

Wire Size: 12 AWG

All BPSC Stacked Hybrid Connector: Male Female Contact, 7-12 AWG (6)

Features

Product Type Features

| Discrete Wire Type | Stranded |
|--|------------------|
| Electrical Characteristics | |
| Contact Resistance | 5 mΩ |
| Contact Features | |
| Contact Diameter | 4.5 mm |
| Contact Shape & Form | Rounded |
| Contact Length | 23.3 mm |
| Contact Underplating Material | Copper or Nickel |
| Barrel Type | Closed |
| Contact Type | Pin |
| Contact Mating Area Plating Material | Silver (Ag) |
| Wire Contact Termination Area Plating Material | Silver |
| Contact Base Material | Copper Alloy |



| Contact Current Nating (Max) | Contact Current Rati | ing (Max) | 20 A |
|------------------------------|----------------------|-----------|------|
|------------------------------|----------------------|-----------|------|

Termination Features

| Termination Method to Wire & Cable | Crimp |
|------------------------------------|--------------|
| Product Terminates To | Wire & Cable |

Mechanical Attachment

| Contact Retention Type Within Housing | Locking Spring |
|---------------------------------------|----------------|
|---------------------------------------|----------------|

Dimensions

| Wire | Size | 12 AWG |
|------|------|--------|
| | | |

Usage Conditions

| Operating Temperature Range | -40 - 125 °C[-40 - 125 °F] |
|-----------------------------|----------------------------|

Operation/Application

| Circuit Application | Power & Signal |
|---------------------|----------------|
| Packaging Features | |

| Packaging I | Method | Bag & Box | |
|-------------|--------|-----------|--|

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts









Customers Also Bought



TE Part #T2210002010-001 BPSC Stacked Hybrid Connector: Male Female Contact, 7-12 AWG



TE Part #T0931000408-000 M4 STAINLESS STEEL SCREW,FLAT HEAD









Documents

Product Drawings

MCEM-4.0

English

CAD Files

3D PDF

3D

Customer View Model



ENG_CVM_CVM_T2031001040-000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_T2031001040-000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_T2031001040-000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Bess Stacked Hybrid Connector

Bess Stacked Hybrid Connector

English

Product Specifications

Application Specification

English