# 2064915-8 - ACTIVE

#### FullAXS

TE Internal #: 2064915-8 OFNR, 7.5 mm [.295 in] Diameter, 2 Fibers, Beige, Beige, Black Cable, Standard Boot Type (Left), Fiber Optic Patch Cable Assemblies

#### View on TE.com >

Fiber Optics > Fiber Optic Cable Assemblies > Fiber Optic Patch Cable Assemblies



Fiber Optic Cable Type: **OFNR** 

Cable Assembly Fiber Diameter: 50/125 µm

Outside Cable Diameter: 7.5 mm [.295 in ]

Number of Fibers: 2

Connector Color (End A): Beige

### Features



#### Product Type Features

Fiber Optic Cable Type	OFNR
Fiber Optic Mode	Multimode
Cable Assembly Type	LC Duplex
Cable Assembly (End A)	LC Duplex Plug
Cable Assembly (End B)	LC Duplex Plug
Fiber Type	OM3
Configuration Features	
Number of Connectors (End A)	2
Number of Connectors (End B)	2
Number of Fibers	2
Cable Buffering	Tight Buffer
Signal Characteristics	
Insertion Loss A (Max)	.53 dB
Insertion Loss B (Max)	.53 dB

#### 2064915-8

OFNR, 7.5 mm [.295 in] Diameter, 2 Fibers, Beige, Beige, Black Cable, Standard Boot Type (Left), Fiber Optic Patch Cable Assemblies



Return Loss	30 dB	
Body Features		
Cable Flammability Rating	OFNR (Riser) Jacket	
Connector Color (End A)	Beige	
Connector Color (End B)	Beige	
Cable Color	Black	
Boot Type (Left)	Standard	
Boot Type (Right)	Standard	
Boot Color (Left)	Black	
Boot Color (Right)	Black	
Polarity	Flipped	
Contact Features		
Ferrule Material	Ceramic	
Dimensions		
Cable Assembly Fiber Diameter	50/125 µm	
Outside Cable Diameter	7.5 mm[.295 in]	

#### Other

8 m[2.438 ft]

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	
Product Compliance Disclaimer		

#### 2064915-8

OFNR, 7.5 mm [.295 in] Diameter, 2 Fibers, Beige, Beige, Black Cable, Standard Boot Type (Left), Fiber Optic Patch Cable Assemblies



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



Kit,Receptacle,LC, ODVA,MM


# **Customers Also Bought**

			600000
TE Part #1828619-1	TE Part #1-770968-0	TE Part #350777-1	TE Part #1-480763-0
Kit,Receptacle,LC, ODVA,MM	04P MINI UMNL R/A HDR ASSY SN	02P UMNL PLUG HSG	05P UMNL PLUG HSG NATL
TE	ETE	TE	TE
TE Part #350922-3	TE Part #1-480701-0	TE Part #350536-1	TE Part #350700-1
PIN, MATE-N-LOK, UMNL	03P UMNL CAP HSG NATL	UMNL SOK 20-14 .0126 PTPBR	UMNL SPLIT PIN PTPBR

#### 2064915-8

OFNR, 7.5 mm [.295 in] Diameter, 2 Fibers, Beige, Beige, Black Cable, Standard Boot Type (Left), Fiber Optic Patch Cable Assemblies





### Documents

### Product Drawings C/A,F/O,2F I/O MM50 OM3,SCLC DPX, 8M

English

#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2064915-8\_E.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2064915-8\_E.3d\_igs.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_2064915-8\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Fiber Optic Products\_0412

English