# W57-XB2A99C10-5 ✓ ACTIVE

#### Potter & Brumfield W57

TE Internal #: 2-1423675-0

Thermal, Series Trip, White, Operating Voltage 250 VAC, Operating Voltage 50 VDC, 5A Current Rating, 1 Pole, Potter & Brumfield

W57, Circuit Breakers

View on TE.com >



Relays & Contactors > Circuit Breakers



Circuit Breaker Type: **Thermal**Circuit Function: **Series Trip** 

Illuminated: Without
Actuator Color: White

Operating Voltage: 250 VAC

## **Features**

## **Product Type Features**

| Illumination Type    | No Light      |
|----------------------|---------------|
| Actuator Type        | Push to Reset |
| Circuit Breaker Type | Thermal       |
| Illuminated          | Without       |

# **Configuration Features**

|                  | .346 x .382 in |
|------------------|----------------|
| Circuit Function | Series Trip    |
| Number of Poles  | 1              |

#### **Electrical Characteristics**

| Operating Voltage  | 50 VDC               |
|--------------------|----------------------|
| Current Rating     | 5 A                  |
| Interrupt Capacity | 1000A @ 250VAC/50VDC |

# **Body Features**

| Actuator Color | White |  |
|----------------|-------|--|
|                |       |  |

#### **Contact Features**

| Trip Time at 200% | 4 – 40 seconds |  |
|-------------------|----------------|--|
|-------------------|----------------|--|

#### **Termination Features**

| Terminal Configuration | 6.35 [.25] Straight Quick Connect Tab |
|------------------------|---------------------------------------|



| Mechanical Attachment       |   |
|-----------------------------|---|
| Mounting Hardware Packaging | No Mounting Hardware                        |
| Mounting Bushing            | 3/8" (One Side Flat) x 10.5mm Long, Plastic |
| Mounting Options            | None  |
| Identification Marking      |   |
| Stamped Marking Type        | Red Rate Marking                            |

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant with Exemptions  |
|---|--|
| EU ELV Directive 2000/53/EC                   | Not Compliant  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Cd (1.55% in Component Part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free  |
| Solder Process Capability                     | Not applicable for solder process capability   |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts







# Also in the Series | Potter & Brumfield W57



# Customers Also Bought



TE Part #2-5747705-1 37 PLUG SP/FMS SCRLK



TE Part #5747838-3 25 MSFL RCPT RA 590 (IN,FM,BL)



TE Part #2-520081-2 ULTRAFAST 110 ASSY REC 22-18 TPBR LP



TE Part #9-1423364-8 W57-XB1A7A10-15=CKTBKR,THERM, PB,SCW/QC



TE Part #9-1423364-7 W57-XB1A7A10-10=CKTBKR,THERM, PB,SCW/QC



TE Part #9-1423364-9 W57-XB1A7A10-20=CKTBKR,THERM, PB,SCW/QC



TE Part #2-1423675-3 W57-XB2A99C10-10=CKTBKR,THERM,



TE Part #K1060611 Relay 29-311-12A



Thermal, Series Trip, White, Operating Voltage 250 VAC, Operating Voltage 50 VDC, 5A Current Rating, 1 Pole, Potter & Brumfield W57, Circuit Breakers



# **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-1423675-0\_D.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1423675-0\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1423675-0\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages

W57 Compact Push To Reset Only Thermal Circuit Breaker

English

# **Agency Approvals**

**CCC Certificate** 

English