

Part Number : <u>1200868553</u> Product Description : Nano-Change (M8) to Micro-Change (M12) Double-Ended Cordset, 3 Poles, Female (90°) to Male (Straight), 24 AWG, TPE Cable, 0.60m (1.97') Length Series Number : 120087 Status : Active Product Category : Circular Industrial Cordsets Engineering Number : 483031K05M006



### **Documents & Resources**

Drawings Drawing 1200868553\_sd.pdf

### **Product Environment Compliance**

#### Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

## Part Details

## General

Status	Active
Category	Circular Industrial Cordsets
Series	120087
Description	Nano-Change (M8) to Micro- Change (M12) Double-Ended Cordset, 3 Poles, Female (90°) to Male (Straight), 24 AWG, TPE Cable, 0.60m (1.97') Length
IP Rating	IP68
Product Family	Brad Nano-Change (M8) Products
Product Name	Micro-Change (M12),Nano-Change (M8)
Protocol	N/A
Region	America
Туре	Double Ended
UPC	78172540918

## Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	60V AC / 75V DC

# Physical

Cable Diameter	N/A
Cable Length	0.60m (1.97')
Color - Cable Jacket	Yellow
Connector End A	Nano-Change (M8)
Connector End B	Micro-Change (M12)
Coupling Style	Threaded
Gender	Female-Male
Кеуwау	None
LED Indicator	No
Material - Cable Jacket	TPE
Material - Connector Body	Thermoplastic Elastomer
Material - Contact	Copper Alloy

Material - Coupling Nut	Nickel-plated Brass
Material - O-Ring	Fluoro-elastomer
Material - Plating Mating	Gold
Orientation	90° to Straight
Poles	3
Temperature Range - Operating	-25° to +80°C
Wire/Cable Type	PLTC-ER
Wire Size (AWG)	22

This document was generated on Sep 19, 2024