SENSORS / PROXIMITY / MAXBOTIX ULTRASONIC RANGEFINDER - LV-EZ4



Maxbotix Ultrasonic Rangefinder - LV-EZ4 -LV-EZ4

PRODUCT ID: 982

77 IN STOCK

1 ADD TO CART

1-9

10-99

100+

ADD TO WISHLIST

DESCRIPTION
TECHNICAL DETAILS




DESCRIPTION

LV-EZ4 Maxbotix Ultrasonic Rangefinder provides very short to long-range detection and ranging, in an incredibly small package. It can detect objects from 0-inches to 254-inches (6.45-meters) and provides sonar range information from 6-inches out to 254-inches with 1-inch resolution. (Objects from 0 inches to 6-inches range as 6-inches.) The interface output formats included are pulse width output (PWM), analog voltage output (Vcc/512 volts per inch), and serial digital output (9600 baud).

A good sensor for when a Sharp IR distance sensor won't cut it. For example of using this with an Arduino, see the Halloween Pumpkin project.

Many applications require a narrower beam or lower sensitivity than the LV MaxSonar EZ1. Consequently, MaxBotix is offering the EZ2, EZ3, & EZ4 with progressively narrower beam angles allowing the sensor to match the application.

LV-EZ4 Data Sheet / Product Information Guide is available here.



The different LV models have different beam width patterns, check this image for a comparison of all the LV model beam patterns. For higher sensitivity, check out the HR-LV models - they have up to 1mm sensitivity and 5 meter range!

TECHNICAL DETAILS

Dimensions:

• Length: 15.52mm/0.61in • Width: 22.36mm/0.88in • Height: 20.0mm/0.79in • Weight: 4.23g/0.15oz

For product support for all Maxbotix products, click here!



LEARN



Ultrasonic Ruler 3D Printing, LED and sensors equals ray blaster!

MAY WE ALSO SUGGEST...




IR distance sensor includes





















DISTRIBUTORS EXPAND TO SEE DISTRIBUTORS

CONTACT

SUPPORT

DISTRIBUTORS

EDUCATORS

JOBS

FAQ

SHIPPING & RETURNS

TERMS OF SERVICE

PRIVACY & LEGAL

ABOUT US

"The miracle is this: The more we share, the more we have" - Leonard Nimoy



ENGINEERED IN NYC Adafruit ®