



Part Number : [470541000](#)

Series Number : 47054

Product Category : Connector Housings

Product Description : KK 254 Housing with Polarization Rib, 4 Pin

Status : Active

Documents & Resources

Drawings

[Drawing 470541000_sd.pdf](#)

[Packaging Design Drawing 470541000-PK-000.pdf](#)

3D Models and Design Files


[3D Model 470541000_stp.zip](#)

Specifications

[Product Specification PS-47053-001-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Connector Housings
Series	47054
Description	KK 254 Housing with Polarization Rib, 4 Pin
Application	Signal, Wire-to-Board
Product Family	KK Interconnect Systems
Product Name	KK 254
UPC	822348237999

Agency

UL	E29179
----	--------

Physical

Circuits (maximum)	4
Color - Resin	Ivory
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.522/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.54mm
Pitch - Termination Interface	2.54mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	See Product Specification

Solder Process Data

Max-Duration	5
Lead-Free Process Capability	N/A
Max-Cycle	1
Max-Temp	230

Mates With / Use With

Mates with Part(s)

Description	Part Number
KK 254 Vertical Headers	<u>47053</u>

Use with Part(s)

Description	Part Number
KK 254 Female Crimp Terminals	<u>2759</u>