Product datasheet

Specifications

APC

Green Premium™

APC Smart-UPS X Battery Extension Cable 48V

SMX039-2

Overview

Presentation	Accessory solutions to tailor the Smart-UPS to meet your specific needs.
Lead time	Usually in Stock

Main

Product or component type	Cable
Number of cables	1
Battery type	External battery system

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Device mounting	Stand alone battery stack
Battery power in VAh	0 VAh

Physical

Colour	Black
Height	0 cm
Width	0 cm
Depth	121.9 cm
Net weight	0.8 kg
Mounting mode	Not rack-mountable

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.4 cm
Package 1 Width	17.3 cm
Package 1 Length	6.4 cm
Package 1 Weight	0.908 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	500
Package 2 Height	143 cm

Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	455 kg
SCC14	731304269045

Contractual warranty

Warranty	1 year repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Energy Efficient   Take-back   Transparency   RoHS/REACh

Resource performance

✓ Energy Efficient Product

✓ Take-Back Program Available

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant with Exemptions

Environmental Disclosure   Product Environmental Profile

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile   End of Life Information