8-1393644-0 PENDING OBSOLESCENCE


EUROCARD

TE Internal #: 8-1393644-0

TE Internal Description: V42254B1200C480=PC612 MESSERLE

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: Plug

Connector System: Board-to-Board

Termination Post & Tail Length: 3 mm [.118 in]

Number of Positions: **48**

Centerline (Pitch): 2.54 mm [.1 in]

Features

Product Type Features



Connector & Housing Type	Plug
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
DIN Size	Half
DIN Level	II
Configuration Features	
Number of Positions	48
Number of Rows	3
PCB Mount Orientation	Right Angle
Number of Columns	16
Number of Signal Positions	48
Rows Loaded	A, C
Contact Features	
Contact Type	Pin
Contact Base Material	Phosphor Bronze

V42254B1200C480=PC612 MESSERLE



Contact Current Rating (Max)	1.5 A
Termination Features	
Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Length	3 mm[.118 in]
Mechanical Attachment	
Mating Alignment Type	Polarization
Mating Alignment	With
Panel Mount Feature	Without
PCB Mount Retention	With
PCB Mount Retention Type	Mounting Hole
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Polyester - GF
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
PCB Thickness (Recommended)	1.6 mm[.063 in]
Row-to-Row Spacing	2.54 mm[.1 in]

Usage Conditions

	09/13/2024 07:1
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU ELV Directive 2000/53/EC	Compliant
EU RoHS Directive 2011/65/EU	Compliant
Product Compliance For compliance documentation, visit the product page on TE.com>	
Packaging Method	Tray
Packaging Features	
UL Flammability Rating	UL 94V-0
Industry Standards	
Circuit Application	Signal
Shielded	No
Operation/Application	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]




EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






V42254B1200C480=PC612 MESSERLE

8-1393644-0



Customers Also Bought



V42254B1200C480=PC612 MESSERLE





Documents

Product Drawings V42254B1200C480=PC612 MESSERLE

English

CAD Files

Customer View Model ENG_CVM_CVM_8-1393644-0_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_8-1393644-0_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-1393644-0_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.