TE Internal #: 1775485-2

CR2032, 2 Position, Vertical, Gold, Signal, -55 – 105 °C [-67 – 221 °

F], Battery Holders

View on TE.com >



Connectors > PCB Connectors > Battery Connectors & Holders > Battery Holders











Battery Compatibility: CR2032

Number of Positions: 2

PCB Mount Orientation: Vertical

Contact Mating Area Plating Material: Gold

PCB Mount Alignment: Without

### **Features**

### **Product Type Features**

Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	

#### Somgaradon i cataros

Number of Positions	2
PCB Mount Orientation	Vertical

### **Body Features**

Battery Holder Material	Glass Filled Nylon 66
Battery Holder Type	Coin Cell
Primary Product Color	Blue
Battery Compatibility	CR2032

#### **Contact Features**

Contact Underplating Material	Nickel
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	7 A

## Mechanical Attachment



Connector Mounting Type	Board Mount
PCB Mount Alignment	Without
Dimensions	
Compatible Battery Dimensions	23 x 18.49 x 21 mm[.906 x .728 x .827 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	80
Packaging Method	Box & Tray

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



# Compatible Parts



TE Part # 120591-1 TOP LOAD BATTERY



TE Part # 796136-1 ASSY, SMT BATTERY CONN



TE Part # 2-1775485-2 Battery Holder, 3.6mm, BLU, low profile



# Customers Also Bought



TE Part #2-1879457-9 TE 2500W 220R 5% Bracket



TE Part #1982295-2 ELCON MINI 2P RA HEADER,W/O CODING



TE Part #8-1614882-1 CPF 0603 360K 0.1% 25PPM 5K RL





SPRING FINGER 1.8H



TE Part #2176308-8 RP 1E 0.1W 158K 0.1% 25PPM 5K RL



TE Part #1745060-1 40pos MQS .63 header 90deg





## **Documents**

**Product Drawings** Battery Holder, 3.6mm, BLU, low profile

English

**CAD Files** 

3D PDF

3D



**Customer View Model** 

ENG\_CVM\_CVM\_1775485-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1775485-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1775485-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

2\_PIECE\_POWER\_CONNECTORS\_qrg\_4-1773458-1

English

**Product Specifications** 

**Application Specification** 

English