










CKT SIZE	DIM A	DIM B
2	5.00	9.94 +/-0.04
3	10.00	14.93 +/-0.05
4	15.00	19.93 +/-0.05
5	20.00	24.93+/-0.05
6	25.00	29.93+/-0.05

L2



- NOTES:
- MATERIALS:
HOUSING: PA 6,UL94 V-2
COLOUR : SEE SHEET 2
TERMINAL: PHOSPHOR BRONZE, (0.50)/0.020 THICK REF
PLATING: (2µm)/79µin MIN SILVER IN CONTACT AREA
(0.10µm)/0.004µin MIN SILVER FLASH ALLOVER
 - PRODUCT CONFORMS TO SPECIFICATION: PS-99020-0037
 - SEE SUBSEQUENT SHEETS FOR PART NUMBERS SHOWING THE VARIOUS CODING, KEYING AND LATCHING OPTIONS.
 - PACKAGING SPECIFICATION PK-90833-001
 - APPLICATION SPECIFICATION AS-99033-0004



SECTION A-A
KEYING, CODING & LATCH IDENTIFICATION
(4 CIRCUIT EXAMPLE SHOWN)


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS				
		2:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL		± °									
4 PLACES		±									
3 PLACES		±		EC NO: 771639 DRWN: GOPIS 2023/12/05 CHK'D: GOPIS 2023/12/13 APPR: MRAMAKRISHNA 2023/12/14			PRODUCT CUSTOMER DRAWING				
2 PLACES		± 0.05									
1 PLACE		± 0.1		INITIAL REVISION: DRWN: AKABADI 2017/04/17 APPR: BRUTTLE 2017/07/26			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES		±					917790001		PSD	000	L3
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A2-SIZE	91779	SEE TABLE		GENERAL MARKET		1 OF 7	


DOCUMENT STATUS	P1	RELEASE DATE	2023/12/14	08:58:04
-----------------	----	--------------	------------	----------

14	13	12	11	10	9								
2 CIRCUIT													
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP				
91779-0001	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c d20	1/2		NONE				
91779-0002	91779-9001	2	NATURAL	9001	1b 2a	01c d20	1/2		NONE				
91779-0003	91779-9001	2	NATURAL	9001	1a 2b	d20	1/2		NONE				
91779-0004	91779-9001	2	NATURAL	9001	1a	01c d20	1/2		NONE				
91779-0005	91779-9001	2	NATURAL	9001	1a 2b	01c d20	1/2		BLUE				
91779-0006	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	NONE	1/2		NONE				
91779-0007	91779-9001	2	NATURAL	9001	2a	01c	1/2		NONE				
91779-0011	91779-9001	2	NATURAL	9001	1a	d20	1/2		NONE				
91779-0012	91779-9001	2	NATURAL	9001	1b	01c d20	1/2		NONE				
91779-0013	91779-9001	2	NATURAL	9001	1a	NONE	1/2		NONE				
91779-0014	91779-9001	2	NATURAL	9001	1b 2a 2b	d20	1/2		NONE				
91779-0015	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	d20	1/2		NONE				
91779-0016	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c	1/2		NONE				
91779-0017	91779-9004	2	RED(PINK)	3014	1a 1b 2b	NONE	1/2		NONE				
91779-0018	91779-9001	2	NATURAL	9001	1b 2b	01c	1/2		NONE				
91779-0019	91779-9001	2	NATURAL	9001	1b 2b	01c	1/2		GREEN				
91779-0020	91779-9001	2	NATURAL	9001	1a 2b	d20	1/2		GREEN				
91779-0021	91779-9001	2	NATURAL	9001	2a	01c d20	1/2		BLACK				
91779-0022	91779-9001	2	NATURAL	9001	1b	d20	1/2		RED				
91779-0023	91779-9001	2	NATURAL	9001	1b 2b	01c	1/2		BLUE				

2 CIRCUIT									
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP
91779-0024	91779-9001	2	NATURAL	9001	1b 2b	01c	1/2		ORANGE
91779-0025	91779-9001	2	NATURAL	9001	1a 1b	d20	1/2		NONE
91779-0026	91779-9001	2	NATURAL	9001	1a 2b	01c	1/2		NONE
91779-0028	91779-9004	2	RED(PINK)	3014	2a 2b	NONE	1/2		NONE
91779-0029	91779-9001	2	NATURAL	9001	NONE	01c d20	1/2		NONE
91779-0030	91779-9001	2	NATURAL	9001	1a 2a 2b	01c d20	1/2		NONE
91779-0031	91779-9001	2	NATURAL	9001	1a 2a	01c d20	1/2		NONE
91779-0032	91779-9001	2	NATURAL	9001	1b 2b	01c d20	1/2		NONE
91779-0033	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c d20	1/2		RED
91779-0034	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c d20	1/2		GREEN
91779-0035	91779-9001	2	NATURAL	9001	2b	NONE	1/2		NONE
91779-0036	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	NONE	1/2		NONE
91779-0038	91779-9001	2	NATURAL	9001	1b	NONE	1/2		NONE

TABLE CONTINUES NEXT PAGE




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 771639 DRWN: GOPIS 2023/12/05 CHK'D: GOPIS 2023/12/13 APPR: MRAMAKRISHNA 2023/12/14 INITIAL REVISION: DRWN: AKABADI 2017/04/17 APPR: BRUTTLE 2017/07/26				molex RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS							
GENERAL TOLERANCES (UNLESS SPECIFIED)		1:1													
ANGULAR TOL ± °								PRODUCT CUSTOMER DRAWING							
4 PLACES ±															
3 PLACES ±															
2 PLACES ± 0.05				DOCUMENT NUMBER 917790001				DOC TYPE		DOC PART		REVISION			
1 PLACE ± 0.1								PSD		000		L3			
0 PLACES ±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A2-SIZE		91779		SEE TABLE		GENERAL MARKET		2 OF 7	

14		13		12		11		10		9	
CIRCUIT 2 CONTIN'D											
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP		
91779-0039	91779-9001	2	NATURAL	9001	1a 2b	NONE	1/2		NONE		
91779-0040	91779-9004	2	RED(PINK)	3014	1a 2a	01c	1/2		NONE		
91779-0041	91779-9001	2	NATURAL	9001	1b 2a 2b	01c d20	1/2		NONE		
91779-0042	91779-9001	2	NATURAL	9001	NONE	01c	1/2		NONE		
91779-0043	91779-9005	2	NATURAL	9001	NONE	NONE	1/2b & SHORT STD LATCH 1/2		NONE		
91779-0044	91779-9001	2	NATURAL	9001	1a 1b 2a 2b	01c	1/2		NONE		
91779-0045	91779-9001	2	NATURAL	9001	NONE	d20	1/2		NONE		
91779-0046	91779-9001	2	NATURAL	9001	NONE	NONE	1/2		NONE		
91779-0047	91779-9005	2	NATURAL	9001	NONE	01c	1/2b & SHORT STD LATCH 1/2		NONE		
91779-0048	91779-9005	2	NATURAL	9001	2b	01c d20	1/2b & SHORT STD LATCH 1/2		NONE		
91779-0049	91779-9005	2	NATURAL	9001	1a 2b	01c d20	1/2b & SHORT STD LATCH 1/2		NONE		
91779-0050	91779-9001	2	NATURAL	9001	2a 2b	NONE	1/2		NONE		
91779-0051	91779-9005	2	NATURAL	9001	1a 2b	d20	1/2b & SHORT STD LATCH 1/2		NONE		
91779-0052	91779-9001	2	NATURAL	9001	NONE	01c d20	1/2		NONE		
91779-0053	91779-9005	2	NATURAL	9001	1a 2b	NONE	1/2b & SHORT STD LATCH 1/2		NONE		
91779-0054	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	01c d20	1/2		NONE		
91779-0055	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	01c	1/2		NONE		
91779-0056	91779-9004	2	RED(PINK)	3014	1a 1b 2a 2b	d20	1/2		NONE		
91779-0057	91779-9004	2	RED(PINK)	3014	1a 2b	d20	1/2		NONE		
91779-0058	91779-9001	2	NATURAL	9001	1a 2b	d20	1/2		NONE		
91779-0059	91779-9001	2	NATURAL	9001	1a 2a	01c	1/2		NONE		

CIRCUIT 2 CONTIN'D

MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP
91779-0061	91779-9004	2	RED(PINK)	3014	2a	01c d20	1/2		NONE
91779-0062	91779-9004	2	RED(PINK)	3014	1a 2b	NONE	1/2		NONE
91779-0063	91779-9001	2	NATURAL	9001	1a 2b	01c	1/2		NONE
91779-0064	91779-9001	2	NATURAL	9001	1b	d20	1/2		NONE
91779-0065	91779-9001	2	NATURAL	9001	2b	01c d20	1/2		NONE
91779-0066	91779-9004	2	RED(PINK)	3014	1b 2a	01c d20	1/2		NONE




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex					
GENERAL TOLERANCES (UNLESS SPECIFIED)		1:1											
ANGULAR TOL		± °						RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS					
4 PLACES		±											
3 PLACES		±		EC NO: 771639				PRODUCT CUSTOMER DRAWING					
2 PLACES		± 0.05		DRWN: GOPIS 2023/12/05									
1 PLACE		± 0.1		CHK'D: GOPIS 2023/12/13									
0 PLACES		±		APPR: MRAMAKRISHNA 2023/12/14				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		917790001		PSD	000	L3	
								MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
								SEE TABLE		GENERAL MARKET		3 OF 7	

14	13	12	11	10	9	8	7	6	5	4	3	2	1
3 CIRCUIT													
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP				
91779-0101	91779-9101	3	NATURAL	9001	1a 1b 2a 2b 3a 3b	01c d20 03c d30	1/2		NONE				
91779-0102	91779-9102	3	NATURAL	9001	1a 1b 2a 2b 3a 3b	01c d10 02c d30	2/3		NONE				
91779-0103	91779-9101	3	NATURAL	9001	1b	01c d20	1/2		NONE				
91779-0104	91779-9102	3	NATURAL	9001	2a	d10 d30	2/3		NONE				
91779-0105	91779-9102	3	NATURAL	9001	3b	02c d30	2/3		NONE				
91779-0106	91779-9101	3	NATURAL	9001	NONE	NONE	1/2		NONE				
91779-0107	91779-9101	3	NATURAL	9001	1b	01c d20	1/2		RED				
91779-0108	91779-9101	3	NATURAL	9001	1a	01c d20	1/2		NONE				
91779-0109	91779-9103	3	RED(PINK)	3014	1a 1b 2a 2b 3a 3b	NONE	2/3		NONE				
91779-0111	91779-9102	3	NATURAL	9001	2b 3a	d10 d30	2/3		NONE				
91779-0113	91779-9103	3	RED(PINK)	3014	1a 1b 2a 2b 3a 3b	d10	2/3		NONE				
91779-0114	91779-9102	3	NATURAL	9001	1a 1b 2a 2b 3a 3b	d10	2/3		NONE				
91779-0115	91779-9101	3	NATURAL	9001	NONE	03c	1/2		NONE				
91779-0116	91779-9101	3	NATURAL	9001	1a 1b	d30	1/2		NONE				
91779-0117	91779-9102	3	NATURAL	9001	2a	d10 02c d30	2/3		NONE				
91779-0118	91779-9102	3	NATURAL	9001	2a	d10	2/3		NONE				
91779-0119	91779-9101	3	NATURAL	9001	2a	01c d30	1/2		NONE				

3 CIRCUIT										
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	VOID CIRCUIT	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP
91779-0120	91779-9102	3	NATURAL	9001	NONE	2b 3b	d30	2/3		NONE
91779-0121	91779-9101	3	NATURAL	9001	NONE	NONE	01c d30	1/2		NONE
91779-0122	91779-9103	3	RED(PINK)	3014	NONE	1b 2a 2b 3b	NONE	2/3		NONE
91779-0123	91779-9103	3	RED(PINK)	3014	2	2b 3b	d10	2/3		NONE
91779-0124	91779-9102	3	NATURAL	9001	NONE	NONE	d10 02c d30	2/3		NONE
91779-0126	91779-9101	3	NATURAL	9001	NONE	3b	01c d30	1/2		NONE
91779-0127	91779-9102	3	NATURAL	9001	NONE	1a 2a 3b	d10 d30	2/3		NONE
91779-0128	91779-9102	3	NATURAL	9001	NONE	1a 2b	NONE	2/3		NONE
91779-0129	91779-9102	3	NATURAL	9001	NONE	1a 1b 2a 2b 3a 3b	01c d30	2/3		NONE
91779-0130	91779-9101	3	NATURAL	9001	NONE	1a 3b	01c	1/2		NONE
91779-0132	91779-9102	3	NATURAL	9001	NONE	2a 3a	d30	2/3		NONE

TABLE CONTINUES NEXT PAGE

KEYING , CODING & LATCH IDENTIFICATION
(4 CKT EXAMPLE SHOWN)
VIEW IN MATING DIRECTION



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS							
GENERAL TOLERANCES (UNLESS SPECIFIED)		1:1													
ANGULAR TOL		± °													
4 PLACES		±						EC NO: 771639							
3 PLACES		±		DRWN: GOPIS 2023/12/05				PRODUCT CUSTOMER DRAWING							
2 PLACES		± 0.05		CHK'D: GOPIS 2023/12/13											
1 PLACE		± 0.1		APPR: MRAMAKRISHNA 2023/12/14											
0 PLACES		±		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
				DRWN: AKABADI 2017/04/17				917790001		PSD		000		L3	
				APPR: BRUTTLE 2017/07/26											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A2-SIZE		91779		SEE TABLE		GENERAL MARKET		4 OF 7	

14	13	12	11	10	9	8	7	6	5	4	3	2	1
CIRCUIT 3 CONTIN'D													
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	VOID CIRCUIT	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP			
91779-0133	91779-9107	3	NATURAL	9001	NONE	1a 3b	01c	2/3b & SHORT STD LATCH 2/3		NONE			
91779-0134	91779-9102	3	NATURAL	9001	NONE	3b	01c d30	2/3		NONE			
91779-0135	91779-9108	3	NATURAL	9001	NONE	1a 2b 3a 3b	NONE	1/2b		NONE			
91779-0136	91779-9107	3	NATURAL	9001	NONE	2a 3b	NONE	2/3b & SHORT STD LATCH 2/3		NONE			
91779-0137	91779-9107	3	NATURAL	9001	NONE	NONE	NONE	2/3b & SHORT STD LATCH 2/3		NONE			
91779-0138	91779-9102	3	NATURAL	9001	NONE	2a	d10 d30	2/3		NONE			
91779-0139	91779-9102	3	NATURAL	9001	NONE	1a 3b	d10	2/3		NONE			
91779-0140	91779-9102	3	NATURAL	9001	NONE	2a 2b	NONE	2/3		NONE			
91779-0141	91779-9102	3	NATURAL	9001	NONE	1a 3b	NONE	2/3		NONE			
91779-0142	91779-9101	3	NATURAL	9001	NONE	1a 1b	d20	1/2		NONE			
91779-0143	91779-9101	3	NATURAL	9001	NONE	1a 3a	01c	1/2		NONE			
91779-0144	91779-9105	3	RED(PINK)	3014	NONE	1a 1b 2a 2b 3a 3b	d20	1/2		NONE			
91779-0145	91779-9105	3	RED(PINK)	3014	NONE	1a	d20	1/2		NONE			
91779-0146	91779-9102	3	NATURAL	9001	NONE	3b	d10 d30	2/3		NONE			
91779-0147	91779-9101	3	NATURAL	9001	NONE	1a 1b 2a 2b 3a 3b	01c d20 03c	1/2		BLUE			
91779-0148	91779-9105	3	RED(PINK)	3014	NONE	1a 1b 2a 2b 3a 3b	01c d20 03c d30	1/2		NONE			
91779-0149	91779-9105	3	RED(PINK)	3014	NONE	1b	01c d20	1/2		NONE			
91779-0150	91779-9102	3	NATURAL	9001	NONE	2b 3b	01c d10 02c d30	2/3		NONE			
91779-0151	91779-9101	3	NATURAL	9001	NONE	2b 3a 3b	01c d20 03c d30	1/2		NONE			
91779-0152	91779-9101	3	NATURAL	9001	NONE	2a 3a	01c d20 03c	1/2		NONE			
91779-0153	91779-9101	3	NATURAL	9001	NONE	1a 3a	03c	1/2		NONE			
91779-0154	91779-9102	3	NATURAL	9001	NONE	NONE	01c 02c d30	2/3		NONE			

KEYING , CODING & LATCH IDENTIFICATION
(4 CKT EXAMPLE SHOWN)
VIEW IN MATING DIRECTION

1a1b2a2b3a3b4a4b

1234

01cd2003cd3004cd40

CKT 1CKT 2CKT 3CKT 4

POSITION KEYS

CODING KEYS

LATCH POSITION

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:				mo FAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS PRODUCT CUSTOMER DRAWING					
GENERAL TOLERANCES (UNLESS SPECIFIED)		1:1											
ANGULAR TOL		± °		EC NO: 771639									
4 PLACES		±		DRWN: GOPIS				2023/12/13					
3 PLACES		±		CHK'D: GOPIS				2023/12/14					
2 PLACES		± 0.05		APPR: MRAMAKRISHNA				2023/12/14					
1 PLACE		± 0.1		INITIAL REVISION:				2017/04/17					
0 PLACES		±		DRWN: AKABADI				2017/07/26					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A2-SIZE		91779		SEE TABLE		GENERAL MARKET		5 OF 7	

DOCUMENT STATUS | P1 | RELEASE DATE | 2023/12/14 | 08:58:04

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321

13121110987654321


13121110987654321

13121110987654321

13121110987654321

13121110987654321

KEYING , CODING & LATCH IDENTIFICATION
(4 CKT EXAMPLE SHOWN)
VIEW IN MATING DIRECTION



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:						molex RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS			
		1:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 771639 DRWN: GOPIS2023/12/05 CHK'D: GOPIS2023/12/13 APPR: MRAMAKRISHNA2023/12/14 INITIAL REVISION: DRWN: AKABADI2017/04/17 APPR: BRUTTLE2017/07/26									
ANGULAR TOL ± °													
4 PLACES		±											
3 PLACES		±											
2 PLACES		± 0.05											
1 PLACE		± 0.1											
0 PLACES		±		PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER 917790001 DOC TYPE PSD DOC PART 000 REVISION L3									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS													
THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
				A2-SIZE		91779		SEE TABLE		GENERAL MARKET		5 OF 7	

14	13	12	11	10	9	8	7	6	5	4	3	2	1														
4 CIRCUIT																											
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP																		
91779-0201	91779-9201	4	NATURAL		1a 1b 2a 2b 3a 3b 4a 4b	01c d20 03c d40	1/2, 3/4		NONE																		
91779-0202	91779-9201	4	NATURAL	9001	1b	03c d40	1/2, 3/4		NONE																		
91779-0203	91779-9201	4	NATURAL	9001	1a 3a 3b	01c d20 d40	1/2, 3/4		NONE																		
91779-0204	91779-9202	4	NATURAL	9001	NONE	d20	1/2		NONE																		
91779-0205	91779-9201	4	NATURAL	9001	2a, 4b	d20	1/2, 3/4		NONE																		
91779-0206	91779-9201	4	NATURAL	9001	2b	d20	1/2, 3/4		NONE																		
91779-0207	91779-9207	4	NATURAL	9001	3a	01c d20 03c d40	3/4		NONE																		
91779-0208	91779-9201	4	NATURAL	9001	3a	01c d20 03c d40	1/2, 3/4		NONE																		
91779-0209	91779-9208	4	NATURAL	9001	1a 2b 3b 4b	01c d10 02c d30 04c d40	2/3		NONE																		
91779-0210	91779-9201	4	NATURAL	9001	1a 1b 2b 3a 3b 4b	d20 d40	1/2, 3/4		NONE																		
91779-0211	91779-9201	4	NATURAL	9001	2a 2b 3b 4b	01c d20 03c d40	1/2, 3/4		NONE																		
91779-0212	91779-9201	4	NATURAL	9001	2a 3a 4b	01c	1/2, 3/4		NONE																		
91779-0213	91779-9202	4	NATURAL	9001	2a 4b	01c d30	1/2		NONE																		
91779-0214	91779-9202	4	NATURAL	9001	1a 1b 2a 2b 3a 3b 4a 4b	01c d20 03c d30 04c d40	1/2		NONE																		
91779-0215	91779-9201	4	NATURAL	9001	1a 2b 3b	d40	1/2, 3/4		NONE																		
4 CIRCUIT																											
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP																		
91779-0216	91779-9201	4	NATURAL	9001	1b 2a 3a 4b	01c d40	1/2, 3/4		NONE																		
91779-0218	91779-9201	4	NATURAL	9001	1a 1b 3a 3b	03c d40	1/2, 3/4		NONE																		
91779-0219	91779-9201	4	NATURAL	9001	1b 2a 3a 4a	01c d20 03c	1/2, 3/4		NONE																		
91779-0220	91779-9207	4	NATURAL	9001	1a 1b 2a 2b 3a 4b	01c d40	3/4		NONE																		
91779-0221	91779-9202	4	NATURAL	9001	1a 1b 2a 2b 3a 4b	01c d40	1/2		NONE																		
91779-0222	91779-9208	4	NATURAL	9001	1a 1b 2a 2b 3a 4b	01c d40	2/3		NONE																		
91779-0223	91779-9209	4	NATURAL	9001	1a 2b	04c	1/2b 3/4b & SHORT STD LATCH 1/2		NONE																		
91779-0224	91779-9209	4	NATURAL		2b	04c	1/2b 3/4b & SHORT STD LATCH 1/2		NONE																		
91779-0225	91779-9210	4	NATURAL	9001	1a 2b	04c	1/2b & SHORT STD LATCH 1/2		NONE																		
KEYING , CODING & LATCH IDENTIFICATION (4 KCT EXAMPLE SHOWN) VIEW IN MATING DIRECTION																											
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																											
DIMENSION UNITS		SCALE		CURRENT REV DESC:																							
		1:1																									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 771639 DRWN: GOPIS 2023/12/05 CHK'D: GOPIS 2023/12/13 APPR: MRAMAKRISHNA 2023/12/14 INITIAL REVISION: DRWN: AKABADI 2017/04/17 APPR: BRUTTLE 2017/07/26										RAST 5 INDIRECT FEMALE ASSEMBLY 16 AMPS													
ANGULAR TOL		± °												PRODUCT CUSTOMER DRAWING													
4 PLACES		±																									
3 PLACES		±																									
2 PLACES		± 0.05																									
1 PLACE		± 0.1										DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION											
0 PLACES		±										917790001		PSD	000	L3											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER													
						A2-SIZE		91779		SEE TABLE		GENERAL MARKET		6 OF 7													
DOCUMENT STATUS		P1	RELEASE DATE		2023/12/14		08:58:04																				
FORMAT: master B9904A2 REVISION: J DATE: 2023/11/14		13		12		11		10		9		8		7		6		5		4		3		2		1	

14	13	12	11	10	9	8	7	6	5	4	3	2	1
5 CIRCUIT													
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP				
L2													
L2													
6 CIRCUIT													
MOLEX PART NO.	HOUSING NO.	CIRCUIT SIZE	COLOUR	RAL NUMBER	POSITION KEYS	CODING KEYS	LATCH POSITION	CONFIGURATION	COLOUR STRIP				
91779-0401	91779-9401	6	NATURAL	9001	1b	03c d60	1/2 4/5	1 2 3 4 5 6	NONE				
91779-0402	91779-9401	6	NATURAL	9001	1a 3b 4b	01c d50 06c	1/2 4/5	1 2 3 4 5 6	NONE				

<