



Part Number : [351500293](#)

Product Description : VersaBlade Terminal Position Assurance (TPA) Retainer, 6.20mm Pitch, 2 Circuits, Yellow

Series Number : 35150

Status : Active

Product Category : Connector Accessories



Documents & Resources

Drawings

[Drawing 351500293_sd.pdf](#)

3D Models and Design Files

[3D Model 351500293_stp.zip](#)

Specifications

[Application Specification 351500000AS_ENG-000.pdf](#)

[Packaging Specification PK-35150-002-001.pdf](#)

[Product Specification PS-35150-001-001.pdf](#)

[Product Specification PS-35150-003-001.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS | |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant per EU 2015/863 |

[Multiple Part Product Compliance Statements](#)

- Eu RoHS
- REACH SVHC
- Low-Halogen

[Multiple Part Industry Compliance Documents](#)

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|----------------|---|
| Status | Active |
| Category | Connector Accessories |
| Series | 35150 |
| Description | VersaBlade Terminal Position Assurance (TPA) Retainer, 6.20mm Pitch, 2 Circuits, Yellow |
| Component Type | Terminal Position Assurance |
| Product Family | VersaBlade Wire-to-Wire Connector System |
| Product Name | VersaBlade |
| UPC | 800755465952 |

Agency

| | |
|-----|---------|
| CSA | LR19980 |
| UL | E29179 |

Physical

| | |
|-------------------------------|----------------|
| Circuits (Loaded) | 2 |
| Circuits (maximum) | 2 |
| Color - Resin | Yellow |
| Flammability | 94V-2 |
| Lock to Mating Part | Yes |
| Material - Resin | Nylon |
| Net Weight | 0.253/g |
| Number of Rows | 1 |
| Packaging Type | Bag |
| Temperature Range - Operating | -40° to +120°C |

Use with Part(s)

| Description | Part Number |
|---|------------------|
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Natural | <u>351500200</u> |
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Blue | <u>351500204</u> |
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Natural, Glow-Wire Capable | <u>351500209</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Natural | <u>351500210</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Blue | <u>351500214</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Natural, Glow-Wire Capable | <u>351500219</u> |
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural | <u>351500400</u> |
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Blue | <u>351500404</u> |
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable | <u>351500409</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Natural | <u>351500410</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Red | <u>351500412</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Blue | <u>351500414</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Natural, Glow-Wire Capable | <u>351500419</u> |
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Yellow, Glow-Wire Capable | <u>351503209</u> |

| | |
|--|-------------------|
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Yellow, Glow-Wire Capable | <u>351503219</u> |
| VersaBlade Hybrid Receptacle Housing, without Mounting Ears, 2 Circuits, Blue, Glow-Wire Capable | <u>351504209</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 2 Circuits, Blue, Glow-Wire Capable | <u>351504219</u> |
| VersaBlade Hybrid Receptacle Housing, with Mounting Ears, 4 Circuits, Blue, Glow-Wire Capable | <u>351504419</u> |
| VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Natural | <u>351510210</u> |
| VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Blue | <u>351510214</u> |
| VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Natural, Glow-Wire Capable | <u>351510219</u> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural | <u>351510410</u> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Blue | <u>351510414</u> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Natural, Glow-Wire Capable | <u>351510419</u> |
| VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Red, Glow-Wire Capable | <u>351512219</u> |
| VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Yellow, Glow-Wire Capable | <u>351513219</u> |
| VersaBlade Hybrid Plug Housing, 2 Circuits, Positive Lock, Blue, Glow-Wire Capable | <u>351514219</u> |
| VersaBlade Hybrid Plug Housing, 4 Circuits, Positive Lock, Blue, Glow-Wire Capable | <u>351514419</u> |
| VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housing, 9 Circuits, Full Flange Panel Mount, Natural, Glow-Wire Capable | <u>2026500909</u> |
| VersaBlade Multi-Module 2-3-4 Hybrid Receptacle Housings | <u>35524</u> |