

Infinite Power

Outdoor Programmable Driver AC-DC Constant Power Driver Anti-corrosion Hybrid Stepper Motors

Protective Coating Prevents Rust and Corrosion

TSM Integrated Motor

MOONS' 3rd Generation Integrated StepServo

Coreless Brushed DC Motors Smaller Size, Higher Torque, Higher Speed

NEWS

MOONS' To Power Port of Savannah!

Georgia Ports Authority to install LED lighting from Bright Light Systems Powered by MOONS'.

Shanghai, CN. August 9, 2017. Shanghai MOONS' Automation Control Co., Ltd (MOONS'), a Shanghai based manufacturer of high performance LED drivers...

The signing ceremony of MOONS' (Taicang) entry into Intelligent Industry Zone was held in Taicang

In the afternoon of July 28th, the signing ceremony of MOONS' (Taicang) entry into Intelligent Industry Zone was held in Taicang.

EVENTS

MOONS' will Exhibit The 17th Beijing Conference and Exhibition on Instrumental Analysis

Date: 10th-13rd Oct. 2017

Pavilion: China National Convention Center, Beijing

Booth: 12045

Exhibits: Slotless Brushless DC motor, Coreless Brushed DC Motor, Z Series Ultra smooth motor...

MOONS' will Exhibit AUTOMATION EXPO 2017

Date: 9th - 12nd August 2017

Site: Bombay Convention and Exhibition Centre,

Goregaon(East),Mumbai Booth: Hall1, #J8-J45

Exhibits: Step-Servo: RS/SS series Step-Servo System, TSM/SSM/TXM series Integrated Step-Servo

Motors...

MORE NEWS

MORE EVENTS



HOME / LED DRIVERS / INTELLIGENT DRIVERS / DALI DIMMING DRIVERS / DALI DUAL SERIES / MU050S150BQI511





Specification

MU050S150BQI511 (active)

MOONS' DALI Intelligent driver is ideal for stage, landscape, Architecture, Agriculture Lighting applications. Dimming two channels on the driver via DALI dimming equipment.


- Input voltage: 90-305Vac,140-388Vdc
- All-Around Protection: OVP, SCP, OTP
- Built-in active PFC function 0.95 Typ.
- Flicker-Free Dimming Across Wide Dimming Range(0.1% ~ 100%).



Collecti



Learn More About DALI Dual Series





Free Exchange if the item has quality problems within 1 year. Learn more

Specification 2000 incommended options of	Silvery & Facility	
Parameter	Unit	Value
Input Voltage	Vac	90-305
Frequence	Hz	47-63
Efficiency(Typical-120Vac)		87%
Efficiency(Typical-230Vac)		87%
Output Power	W	50
Driver Type		Constant Current
Output Voltage Range	V	8-55
Output Current Range	mA	150-1500
Dimming Mode		DALI
Auxiliary Power Supply		12V/150mA
Dimming Range		0.1%-100%
Approvals		UL
IP Rating		IP20
Number of Output Channels		2
Line Regulation		±1%
Ripple Current Percentage[(PK-AV)/AV]		Ripple≤ 3 % (LF≤120HZ)
Operating temperature		-25∼+50°C
Surge Level		L,N-FG:±2.5KV L-N:±2.5KV
Mechnical Construct		Metal,Compact
Size	m m	130×76×30
Weight	kg	0.36

Downloads Recommended Options Delivery & Packaging

Recommended Options



Filter By Product Type

All Products

C LED Driver Accessories

SmartKey
All MOONS' Intelligent (0-10V, DALI, DMX) Drivers can be programmed through Smartkey Network Software.Such as dimming solution, output current value, minimum dimming level, dimming curve.



As one of the largest integrated manufacturers of motion control and intelligent lighting products within China, MOONS' has professional teams of research and development, manufacturing, sales and technical support all over the world. Our website (www.moonsindustries.com) is the first professional E-business platform in this industry, on which an extremely wide range of high performance motion control and intelligent lighting products are supplied to customers around the world.

Cookie Policy | Privacy Notice | Terms of Use | Terms of Sale

