



wire connector 2 cables with control wire voltage tap-off 3 units accessory for: 3VA5/6 400/600

Model		
product brand name	SETRON	
product designation	accessories	
Product version	circular conductor terminal	
Accessories	Wire connector	
General technical data		
designation / of the terminal	TA2.4	
Voltage		
Current		
Mechanical Design		
Connections according IEC		
IEC-marking / of terminals	70-300 mm ² CU/AL NNL	
connectable conductor cross-section		
<ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum 	70 mm ² 300 mm ² 70 mm ² 300 mm ²	
stripped length	31 / 58,5 mm	
tightening torque / when using copper cables		
<ul style="list-style-type: none"> finely stranded 	42 Nm	
Connections according UL		
UL-marking / of terminals	TA2.4 CMC 2/0-600 CU7AL UR CSA	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C	
stripped length	1.2 / 2.3 in	
connectable conductor cross-section		
<ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for copper cable / finely stranded / minimum for copper cable / finely stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum 	2/0 AWG 600 kcmil 2/0 AWG 600 kcmil 2/0 AWG 600 kcmil	
tightening torque / when using copper cables		
<ul style="list-style-type: none"> stranded finely stranded 	450 lb-in 450 lb-in	
Certificates		
General Product Approval	EMC	Declaration of

Conformity



[Miscellaneous](#)



EG-Konf.

Declaration of Conformity

Shipping Approval



EG-Konf.



EG-Konf.



EG-Konf.



EG-Konf.



EG-Konf.



LRS

other

[Manufacturer Declaration](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9473-0JC23>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)





<https://support.industry.siemens.com/cs/ww/en/ps/3VA9473-0JC23>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9473-0JC23

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/20/2020 