

https://www.phoenixcontact.com/us/products/3041862



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Latching, width: 10 mm, height: 15.8 mm, number of positions: 2, color: orange

Your advantages

- · Can be used in all plug versions
- · Snapped into the outside of the plug housing and hooks onto the terminal block housing when the plug is snapped on

Commercial data

Item number	3041862
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	BE02
Product key	BE214Z
Catalog page	Page 363 (C-1-2019)
GTIN	4046356055222
Weight per piece (including packing)	0.649 g
Weight per piece (excluding packing)	0.542 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/3041862

Flammability rating according to UL 94



Technical data

Product properties

Product type	Mounting material			
Number of positions	2			
Data management status				
Article revision	01			
Dimensions				
Width	10 mm			
Height	15.8 mm			
Material specifications				
Color	orange (RAL 2003)			
Material	PA-GF			

Mounting

Thread type	()

V2



https://www.phoenixcontact.com/us/products/3041862



Classifications

ECLASS

	ECLASS-11.0	27141190		
	ECLASS-12.0	27141190		
	ECLASS-13.0	27141190		
ETIM				
	ETIM 9.0	EC002848		

UNSPSC

3041862

https://www.phoenixcontact.com/us/products/3041862



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com