

## Data sheet | Item number: 282-334

End plate; 2 mm thick; gray

[www.wago.com/282-334](http://www.wago.com/282-334)



### Data

#### Physical data

Width	2 mm / 0.079 inches
Height	84.5 mm / 3.327 inches
Depth	26.1 mm / 1.028 inches

#### Material Data

Note (material data)

[Information on material specifications can be found here](#)

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.107 MJ
Weight	3.4 g

#### Environmental requirements

Processing temperature	-35 ... +85 °C
------------------------	----------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Continuous operating temperature

-60 ... +105 °C

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332280853
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

## Required accessories

### End plate

#### Through terminal block


**Item no.: 282-694**
3-conductor through terminal block; 6 mm<sup>2</sup>; with test option; same profile as 3-conductor disconnect terminal block; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm<sup>2</sup>; blue[www.wago.com/282-694](http://www.wago.com/282-694)
**Item no.: 282-699**
3-conductor through terminal block; 6 mm<sup>2</sup>; with test option; same profile as 3-conductor disconnect terminal block; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray[www.wago.com/282-699](http://www.wago.com/282-699)

#### Disconnect terminal block


**Item no.: 282-641**
Ground conductor disconnect terminal block; with test option; with orange disconnect link; 48 V; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray[www.wago.com/282-641](http://www.wago.com/282-641)
**Item no.: 282-640**
Ground conductor disconnect terminal block; with test option; with orange disconnect link; 24 V; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray[www.wago.com/282-640](http://www.wago.com/282-640)
**Item no.: 282-638**
Ground conductor disconnect terminal block; with test option; with orange disconnect link; 120 V; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray[www.wago.com/282-638](http://www.wago.com/282-638)
**Item no.: 282-639**
Ground conductor disconnect terminal block; with test option; with orange disconnect link; 230 V; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray[www.wago.com/282-639](http://www.wago.com/282-639)
**Item no.: 282-695**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



2-conductor disconnect terminal block; with test option; orange disconnect link; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; blue

[www.wago.com/282-695](http://www.wago.com/282-695)



**Item no.: 282-697**

2-conductor disconnect terminal block; with test option; orange disconnect link; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/282-697](http://www.wago.com/282-697)

Fuse terminal block



**Item no.: 282-698/281-413**

2-conductor fuse terminal block; for automotive blade-style fuses; with test option; with blown fuse indication by LED; 24 V; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/282-698/281-413](http://www.wago.com/282-698/281-413)



**Item no.: 282-698/281-429**

2-conductor fuse terminal block; for automotive blade-style fuses; with test option; with blown fuse indication by LED; 12 V; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/282-698/281-429](http://www.wago.com/282-698/281-429)



**Item no.: 282-698/281-434**

2-conductor fuse terminal block; for automotive blade-style fuses; with test option; with blown fuse indication by LED; 24 V; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray


[www.wago.com/282-698/281-434](http://www.wago.com/282-698/281-434)



**Item no.: 282-698/281-449**

2-conductor fuse terminal block; for automotive blade-style fuses; with test option; with blown fuse indication by LED; 12 V; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/282-698/281-449](http://www.wago.com/282-698/281-449)



**Item no.: 282-696**

2-conductor fuse terminal block; for automotive blade-style fuses; with test option; without blown fuse indication; 6 mm<sup>2</sup>; CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/282-696](http://www.wago.com/282-696)

Downloads

Documentation

Bid Text

282-334	Feb 19, 2019	xml	Download
X81 - Datei		2.6 kB	

282-334	May 2, 2017	doc	Download
doc - Datei		22.5 kB	

Additional Information

pdf	Download
2.2 MB	

CAD/CAE-Data

CAD data

2D/3D Models 282-334	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



#### CAE data

EPLAN Data Portal 282-334	URL	Download
ZUKEN Portal 282-334	URL	Download
WSCAD Universe 282-334	URL	Download

#### Environmental Product Compliance

##### Compliance Search

Environmental Product Compliance 282-334 End plate; 2 mm thick; gray	URL	Download
-------------------------------------------------------------------------	-----	----------

#### Installation Notes

Subject to changes. Please also observe the further product documentation!