




**Part Number :** [2145282030](#)

**Product Description :** Micro-Lock Plus Terminal Position Assurance (TPA) Retainer, 1.25mm Pitch, 3 Circuits

**Series Number :** 214528

**Status :** Active

**Product Category :** Connector Accessories



---

## Documents & Resources

### Drawings

[Drawing 2145282030\\_sd.pdf](#)

### 3D Models and Design Files

[2D Drawing DXF 2145282030.dxf](#)

[2D Drawing DXF \(PDF\) 2145282030.pdf](#)

[3D Model 2145282030\\_stp.zip](#)

### Specifications

[Application Specification 5055650000-AS-000.pdf](#)

[Packaging Specification 2145289200-SPK-200.pdf](#)

[Product Specification 2145260000-PS-000.pdf](#)

[Product Specification 2145260001-PS-000.pdf](#)


[Product Specification 2145260002-PS-000.pdf](#)

[Product Specification 2145260003-PS-000.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### [Multiple Part Product Compliance Statements](#)

- Eu RoHS

- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

**Part Details**

**General**

Status	Active
Category	Connector Accessories
Series	214528
Description	Micro-Lock Plus Terminal Position Assurance (TPA) Retainer, 1.25mm Pitch, 3 Circuits
Component Type	Terminal Position Assurance
Product Family	Micro-Lock Connector System
Product Name	Micro-Lock Plus
UPC	193264680535

**Physical**

Circuits (Loaded)	3
Circuits (maximum)	3
Color - Resin	Gray
Material - Resin	PBT
Net Weight	33.620/mg
Number of Rows	1
Packaging Type	Bag

**Use with Part(s)**

Description	Part Number
-------------	-------------

1.25mm Pitch Micro-Lock Plus TPA Type Dual Row Receptacle Housings	<u>214527</u>
1.25mm Pitch Micro-Lock Plus TPA Type Single Row Receptacle Housings	<u>214526</u>

---

This document was generated on Sep 26, 2024