



Part Number : [191600043](#)

Product Description : Twist Lock Splice for 28-2 AWG Wire, Red

Series Number : 19160

Status : Active

Product Category : Splices

Engineering Number : TL-R



---

## Documents & Resources

### Drawings

[191600043\\_sd.pdf](#)


### Specifications

[PS-19902-013-001.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Splices
Series	19160
Description	Twist Lock Splice for 28-2 AWG Wire, Red
Product Name	Closed-End Twist Lock
UPC	800753110472

### Agency

CSA	LR700095
UL	E32244

### Electrical

Voltage - Maximum	600V
-------------------	------

### Physical

Barrel Type	Closed
Color - Resin	Red
Flammability	94V-2
Insulation	Nylon (PA)
Material - Metal	Copper
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	3.089/g
Packaging Type	Bag
Temperature Range - Operating	105°C
Wire Insulation Diameter	12.95mm max.
Wire Size (AWG)	10, 12, 14, 16, 18, 20, 22, 24, 26, 8

---

---

This document was generated on Oct 31, 2024