
# JC6-P108-03 - ACTIVE

### Buchanan | Buchanan JC6 Series

TE Internal #: 2-1437665-1 Dual Barrier, Printed Circuit Pin, Wire-to-Board, 3 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan JC6 Series, Barrier Strips View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: Dual Barrier

Bottom Termination Type: Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 3

Centerline (Pitch): 9.53 mm [.375 in ]

# Features

### Product Type Features

Connector SystemWire-to-BoConnector & Contact Terminates ToPrinted CircleConfiguration FeaturesINumber of Levels1Number of Positions3Number of Rows1Electrical Characteristics300 V, 600 VBody Features100 V	
Configuration FeaturesNumber of Levels1Number of Positions3Number of Rows1Electrical Characteristics300 V, 600 V	cuit Board
Number of Levels1Number of Positions3Number of Rows1Electrical Characteristics300 V, 600 V	
Number of Positions3Number of Rows1Electrical Characteristics300 V, 600 Y	
Number of Rows 1   Electrical Characteristics Voltage   Operating Voltage 300 V, 600 V	
Electrical Characteristics Operating Voltage 300 V, 600 Y	
Operating Voltage 300 V, 600 V	
Body Features	
Primary Product Color Black	
Product Orientation Vertical	
Barrier Strip Style Dual Barrie	
Contact Features	r

**C** For support call+1 800 522 6752

# JC6-P108-03

Dual Barrier, Printed Circuit Pin, Wire-to-Board, 3 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan JC6 Series, Barrier Strips



EU RoHS Directive 2011/65/EU	Compliant
Product Compliance For compliance documentation, visit the product page on TE.com>	
Packaging Method	Package
Packaging Quantity	250
Packaging Features	
UL Flammability Rating	UL 94V-0
ndustry Standards	
Circuit Application	Power
Operation/Application	
Product Length Wire Size	30.12 mm[1.186 in] .3 – 3 mm <sup>2</sup>
Dimensions	
	7.55 [[[[[,57,5 [[[]]
Housing Material Centerline (Pitch)	Thermoplastic 9.53 mm[.375 in]
	Thormonlactic
Housing Features	Dourd mount
Connector Mounting Type	o-32 Board Mount
Mounting Options Thread Size	6-32
Top Termination Type	Wire Clamp Combo Head None
Screw Material	Steel
Screw Plating Material	Zinc Chromate
Screw Head Type	Wire Clamp Combo Head
Mechanical Attachment	
Bottom Termination Type	Printed Circuit Pin
Fermination Features	
Contact Current Rating (Max)	5 A, 20 A
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin
Mating Tab Thickness	.81 mm[.032 in]
Mating Tab Width	

**C** For support call+1 800 522 6752

## JC6-P108-03

Dual Barrier, Printed Circuit Pin, Wire-to-Board, 3 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan JC6 Series, Barrier Strips



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

### Solder Process Capability

Wave solder capable to 265°C


### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series | Buchanan JC6 Series




## JC6-P108-03

Dual Barrier, Printed Circuit Pin, Wire-to-Board, 3 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan JC6 Series, Barrier Strips



# Customers Also Bought



# Documents

**Product Drawings** JC6-P108-03=JC6 ASSEMBLY

English

**CAD** Files

**Customer View Model** 

ENG\_CVM\_CVM\_2-1437665-1\_P.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1437665-1\_P.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_2-1437665-1\_P.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages 1-1773458-2\_BARRIER\_STRIPS\_QUICK\_REFERENCE\_GUIDE

English