1SNL905602R0000 - ACTIVE

ENTRELEC | ENTRELEC SNACOMPACT

TE Internal #: 1SNL905602R0000 Jumper Bar, 2 Pole, Gray, Product Spacing 5 mm [.197 in], ENTRELEC SNACOMPACT, Terminal Block & Strip Conducting Accessories

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: Jumper Bar

Number of Poles: 2

Primary Product Color: Gray

Product Spacing: 5 mm [.197 in]

Operating Temperature Range: -55 – 110 °C [-67 – 230 °F]

Features

Product Type Features

Conducting Accessory Type	Jumper Bar
Configuration Features	
Number of Poles	2
Electrical Characteristics	
Current Rating (IEC)	24 A
Body Features	
Plastic & Resin Material Type	Polyamide
Product Weight	3.95 g[.139 oz]
Primary Product Color	Gray
Mechanical Attachment	
Tightening Torque	5.31 in-lbs
Dimensions	
Product Depth	22.2 mm[.874 in]

1SNL905602R0000

Jumper Bar, 2 Pole, Gray, Product Spacing 5 mm [.197 in], ENTRELEC SNACOMPACT, Terminal Block & Strip Conducting Accessories



Product Width	4.6 mm[.181 in]
Product Length	22.2 mm[.874 in]
Product Height	4.6 mm[.181 in]
Product Spacing	5 mm[.197 in]
Usage Conditions	
Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
Industry Standards	
IP Rating	IP20
UL Flammability Rating	UL 94V-0
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241)

Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


1SNL905602R0000

Jumper Bar, 2 Pole, Gray, Product Spacing 5 mm [.197 in], ENTRELEC SNACOMPACT, Terminal Block & Strip Conducting Accessories






Also in the Series | ENTRELEC SNACOMPACT



Customers Also Bought



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNL905602R0000_A.2d_dxf.zip

English

1SNL905602R0000

Jumper Bar, 2 Pole, Gray, Product Spacing 5 mm [.197 in], ENTRELEC SNACOMPACT, Terminal Block & Strip Conducting Accessories



Customer View Model

ENG_CVM_CVM_1SNL905602R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNL905602R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SNACOMPACT TERMINAL BLOCKS SCREW CLAMP TECHNOLOGY

English

BJCI5-2

English