

Part Number: 433750001

Product Description: Sabre Single Crimp Terminal, Female, 16-14 AWG, 3.30mm Max. Insulation Diameter, Reel Packaged, Tin (Sn)

Plated Brass Contact with TPA

Status: Active

Series Number: 43375

Product Category: Crimp Terminals

Documents & Resources

Drawings

<u>Drawing 433750001_sd.pdf</u> Packaging Design Drawing 433750000-PK-000.pdf

Specifications

Product Specification PS-44441-9999-001.pdf Test Summary 444410000-TS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 44
China RoHS	©
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Crimp Terminals
Series	43375
Description	Sabre Single Crimp Terminal, Female, 16-14 AWG, 3.30mm Max. Insulation Diameter, Reel Packaged, Tin (Sn) Plated Brass Contact with TPA
Application	Power, Wire-to-Board, Wire-to-Wire
Comments	Terminal mates to 3.18mm wide x 0.51mm thick flat blade PC tab. Allows 44441 receptacle housings to comply with the UL1977 finger proof access requirement
Product Family	Sabre Power Connector
Product Name	Sabre
UPC	800754365970

Electrical

Current - Maximum per Contact	18.0A
Voltage - Maximum	600V

Physical

Durability (mating cycles max)	25
Gender	Female
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	425.000/mg
Packaging Type	Reel
Plating min - Mating	0.508µm
Plating min - Termination	0.508µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	3.30mm max.

Wire Size (AWG)	14, 16
Wire Size mm²	N/A

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Use with Part(s)

Description	Part Number
Sabre Receptacle Crimp Housings	<u>44441</u>

Application Tooling

Global

Description	Part Number
PremiumGrade Hand Crimp Tool for Sabre Terminals, 18-14 AWG	638117200
Extraction and Activation Tool	<u>638132700</u>
Terminator Die	638405000
Mini-Mac Applicator	638916000

This document was generated on Sep 15, 2024