



FIGURE 1 (2 : 1)

Chart of pressure

NOTE 1. Mating angle which is less than 2 degree is acceptable. (Refer to fig2)

TO	
RFD	

DRAWING NO. EDC3-180371		PART NO. MS-156-HRMJ-10	
SCALE 4 : 1		CODE NO. CL358-0194-0	
UNITS (MM)		FORM NO. 229	
HRS HIROSE ELECTRIC CO., LTD		7	
DRAWN D. Yamakoshi		DESIGNED D. Yamakoshi	
CHECKED R. Kano		APPROVED K. Kawamura	
DATE '03.12.2		DATE '03.12.2	
DRAWN D. Yamakoshi		DESIGNED D. Yamakoshi	
CHECKED R. Kano		APPROVED K. Kawamura	
DATE '03.12.2		DATE '03.12.2	
DRAWN D. Yamakoshi		DESIGNED D. Yamakoshi	
CHECKED R. Kano		APPROVED K. Kawamura	
DATE '03.12.2		DATE '03.12.2	
DRAWN D. Yamakoshi		DESIGNED D. Yamakoshi	
CHECKED R. Kano		APPROVED K. Kawamura	
DATE '03.12.2		DATE '03.12.2	

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
6	PIFE		13	STAINLESS STEEL	
5	PIFE		12	PHOSPHOR BRONZE	NICKEL PLATING
4	BERYLLIUM COPPER	GOLD PLATING	11	STAINLESS STEEL	PASSIVATE
3	BERYLLIUM COPPER	GOLD PLATING	10	STAINLESS STEEL	GOLD PLATING
2	BERYLLIUM COPPER	GOLD PLATING	9	STAINLESS STEEL	GOLD PLATING
1	BERYLLIUM COPPER	GOLD PLATING	8	STAINLESS STEEL	PASSIVATE
			7	PIFE	

TO	
RFD	