



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Latching, Locking & Retention**

Connector Hardware Accessory Type: **Retainer Pin**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **105 °C [ 221 °F ]**

Operating Temperature Range: **-20 – 105 °C [ -4 – 221 °F ]**

## Features

### Product Type Features

Hardware Accessory Function	Latching, Locking & Retention
Connector Hardware Accessory Type	Retainer Pin

### Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

### Dimensions

Product Width	2.69 mm [.106 in]
Product Length	11.18 mm [.44 in]
Product Height	2.69 mm [.106 in]

### Usage Conditions

Operating Temperature (Max)	105 °C [221 °F]
Operating Temperature Range	-20 – 105 °C [-4 – 221 °F]

### Packaging Features

Packaging Quantity	100
Packaging Method	Bag



## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



## Customers Also Bought



TE Part #499252-8  
016 STRAIN RELIEF A-L RCPT




TE Part #1-331677-4  
SOCKET,MIN-SPR AU SER-3




TE Part #2-2198617-5  
Ni Plated Plastic Backshell, 25 Way, Str




TE Part #1658622-9  
40 NOVO MIL/CTR 30DP,LEAD FREE



TE Part #1-111382-4  
10 DIP PLUG, LEAD FREE




TE Part #1-66359-5  
III+ PIN, 18-14,TIN,STRIP



TE Part #1604083-1  
HSG,2X2 PWR PROD PLUR W/LATCH



TE Part #1658622-1  
10 NOVO MIL/CTR 30DP,LEAD FREE



TE Part #1604080-1  
HSG,2X2 PWR PROD PLUR W/O LATC



TE Part #5225395-1  
BNC PLUG DUAL CRIMP RG58,A,B,C

## Documents

### Product Drawings

[RET PIN,15/30/45A,SP,2 HIGH](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1445886-5\\_O.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1445886-5\\_O.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1445886-5\\_O.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages



[POWER\\_CONNECTORS\\_CATALOG\\_SEC02\\_CABLE\\_MOUNTED](#)

English

[2\\_PIECE\\_POWER\\_CONNECTORS\\_qrg\\_4-1773458-1](#)

English

---

**Product Specifications**

[Application Specification](#)

English

[Application Specification](#)

English

[Application Specification](#)

English

---

**Instruction Sheets**

[Instruction Sheet \(U.S.\)](#)

English