

Part Number: 398900402

Product Description: 5.00mm Pitch Beau Eurostyle Low Profile, 35° Wire Entry, Single Level Modular Terminal Block, 2 Circuits


Series Number: 39890

Status: Active

Product Category: Terminal Blocks and

Barrier Strip

Engineering Number: MX-MSM02041-0N



Documents & Resources

Drawings

398900402_sd.pdf

3D Models and Design Files

398900402_stp.zip

Product Environment Compliance

Compliance

| GADSL/IMDS | Compliant with Exemption 3; 33 |
|--------------------|---|
| China RoHS | 6 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per D(2023)8585-DC (23 Jan 2024) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|----------------|--|
| Category | Terminal Blocks and Barrier Strip |
| Series | 39890 |
| Description | 5.00mm Pitch Beau Eurostyle Low Profile, 35° Wire Entry, Single Level Modular Terminal Block, 2 Circuits |
| Application | Wire-to-Board |
| Component Type | One Piece |
| Product Family | Terminal Blocks & Barrier Strips |
| Product Name | Eurostyle Fixed Mount |
| Туре | PCB Terminal Blocks and Connectors |
| UPC | 756054902813 |

Agency

| UL | E48521 |
|----|--------|

Electrical

| Current - Maximum per Contact | 17.5A |
|-------------------------------|-------|
| Voltage - Maximum | 300V |

Physical

| Circuits (Loaded) | 2 |
|---------------------|-----------|
| Circuits (maximum) | 2 |
| Color - Resin | Black |
| Entry Angle | 35° Angle |
| Flammability | 94V-0 |
| Lock to Mating Part | None |
| Net Weight | 2.920/g |

| Number of Rows | 1 |
|-------------------------------|--|
| Orientation | Vertical |
| Panel Mount | No |
| PC Tail Length | 3.81mm |
| PCB Retention | None |
| PCB Thickness - Recommended | 2.60mm |
| Pitch - Mating Interface | 5.00mm |
| Pitch - Termination Interface | 5.00mm |
| Polarized to Mating Part | No |
| Shrouded | Fully |
| Stackable | Yes |
| Temperature Range - Operating | 105°C |
| Wire Size (AWG) | 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 |
| Wire Size mm² | 0.05-2.50 |

This document was generated on Oct 21, 2024