2817864

https://www.phoenixcontact.com/us/products/2817864

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 5-pos.

Your advantages

- In combination with other devices in the distribution board, such as residual current devices and miniature circuit breakers
- Practical wiring of all common applications
- · For combinations of lightning and surge arresters

Commercial data

Item number	2817864
Packing unit	10 pc
Minimum order quantity	1 pc
Sales key	CL18
Product key	CL132Z
Catalog page	Page 101 (C-4-2019)
GTIN	4017918148201
Weight per piece (including packing)	24.23 g
Weight per piece (excluding packing)	23.79 g
Customs tariff number	85369095
Country of origin	DE

2817864

https://www.phoenixcontact.com/us/products/2817864



Technical data

Product properties

	Product type	Bridge	
	Туре	Comb bridge	
	Number of positions	5	
El	ectrical properties		
	Number of phases	1	
	Nominal current I _N	100 A	
Dimensions			
	Height	90.8 mm	
Material specifications			
	Color	gray (RAL 7042)	
		Copper color	
	Housing material	Plastic	

2817864

https://www.phoenixcontact.com/us/products/2817864



Classifications

ECLASS

ECLASS-11.0	27371306
ECLASS-12.0	27371306
ECLASS-13.0	27371306

ETIM

	ETIM 9.0	EC000215		
U	UNSPSC			
	UNSPSC 21.0	39121600		

2817864

https://www.phoenixcontact.com/us/products/2817864



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com