


Industrial RJ45 Variant 3

TE Internal #: 1546413-3 Circular RJ45 Connector, Single Port, Standard Connector Contact Density, Receptacle, Shielded, Cat 5e, Industrial RJ45 Variant 3 View on TE.com >



Connectors > Modular Jacks & Plugs > RJ45 Connectors



Modular Jack & Plug Interface Type: Circular RJ45

Port Configuration: Single Port

Modular Jacks & Plugs Products: RJ Type Jacks & Plugs

Connector Contact Density: Standard

Modular Connector Style: Receptacle

Features

Product Type Features

Modular Jack & Plug Interface Type	Circular RJ45
Modular Jacks & Plugs Products	RJ Type Jacks & Plugs
Modular Connector Style	Receptacle
Grounding Options	PCB Ground
Configuration Features	
Port Configuration	Single Port
Connector Contact Density	Standard
Number of Positions	8
Number of Loaded Positions	8
Body Features	
Modular Jack Latch Orientation	Standard - Latch Down
Contact Features	
Contact Current Rating (Max)	1.5 A
Contact Mating Area Plating Material	Gold

1546413-3

Circular RJ45 Connector, Single Port, Standard Connector Contact Density, Receptacle, Shielded, Cat 5e, Industrial RJ45 Variant 3



Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Housing Color	Black
Housing Material	Acrylonitrile-Butadiene-Styrene(ABS)
Usage Conditions	
Operating Temperature Range	-20 – 80 °C[-4 – 176 °F]
Operation/Application	
Indicator Type	Not Illuminated
Shielded	Yes
Circuit Application	Signal
Industry Standards	
IP Rating	IP67
Performance Category	Cat 5e
Packaging Features	
Packaging Ouantitu	1

Packaging Quantity

Packaging Method

Package

1

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	

1546413-3

Circular RJ45 Connector, Single Port, Standard Connector Contact Density, Receptacle, Shielded, Cat 5e, Industrial RJ45 Variant 3




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 1-1546407-1 ETHERNET CLOSURE CAP IP65,W/O LANYARD



TE Part # 1-1546408-1 ETHERNET CLOSR CAP FOR CRDSET

Also in the Series Industrial RJ45 Variant 3



/LANYRD



China	
Connector Caps & Covers(3)	RJ45 Connectors(8)

Customers Also Bought



1546413-3

Circular RJ45 Connector, Single Port, Standard Connector Contact Density, Receptacle, Shielded, Cat 5e, Industrial RJ45 Variant 3





Documents

Product Drawings ETHERNET RJ-45 BLKHD PASSTHRU

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1546413-3_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1546413-3_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1546413-3_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages INDUSTRIAL_ETHERNET_PRODUCTS

English