Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Rack PDU, Basic, Zero U, 16A, 208/230V, (15) C13



AP9572

Overview

Lead time	Usually in Stock

Main

Colour	Black	
Product or component type	PDU	
PDU type	Basic	
Cord length	2.5 m	
Number of cables	1	
Provided equipment	Rack mounting brackets Toolless mounting kit User manual	

Complementary

Complementary		
Input Voltage	200 V	
	208 V	
	230 V	
Height	62 cm	
Width	4.4 cm	
Output Voltage	200 V	
	208 V	
	230 V	
Depth	4.4 cm	
Net weight	2 kg	
mounting location	Side	
Mounting preference	No preference	
Input Plug Type	IEC 60320 C20	
mounting mode	Rack-mounted	
Rack units	0U	
mounting position	Vertical	
Max line current	16 A	
Input current limits	16 A	
Load capacity	3680 VA	
Network frequency	50/60 Hz	
Outlet type and quantity	15 IEC 60320 C13	

Environment

Product certifications	cUL listed CE Queensland Australia UL listed VDE
Standards	UL 60950
Ambient air temperature for operation	045 °C
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	0.000000000015240.000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	63.8 cm
Package 1 Width	16.8 cm
Package 1 Length	14.6 cm
Package 1 Weight	2.724 kg

Contractual warranty

Warranty 2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

Resource performance



Energy Efficient Product



Take-Back Program Available

Well-being performance



Lead Free

Certifications & Standards

Eu Rohs Directive	Compliant
	EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov