1:1:1:1 CMC Filters

8 Pin DIL and 8 & 16 Pin SMD Packages













Product Features:

- CMC Filters for Data Communications and Telecom Applications
- Compatible with IEEEE 802.3 and 802.5
- Hi-Pot 500Vrms
- Turns Ratio (±3%): 1:1:1:1
- UL Recognized Components

Single

Part Number	Package	PoE	OCL (µH typ.)	LL (µH max.)	Cw/w (pF max.)	DCR (Ω max.)	Impedance/Freq. Curve (typ.)
LD11-0086FLF	DIL	Ν	8	0.10	10	0.20	А
LD11-0166FLF	DIL	N	16	0.15	15	0.25	В
LD11-0246FLF	DIL	Ν	24	0.20	18	0.25	С
LD11-0366FLF	DIL	N	36	0.25	20	0.25	D
LG11-0246NTLF	NT	N	24	0.20	18	0.40	С
LG11-0366NTLF	NT	N	36	0.20	20	0.45	D
LG11-RP36NTLF	NT	Y	36	0.20	20	0.40	С

Dual

Part Number	Package	PoE	OCL (µH typ.)	LL (µH max.)	Cw/w (pF max.)	DCR (Ω max.)	Impedance/Freq. Curve (typ.)
LG11-0346N1LF	N1	N	35	0.20	25	0.30	С
LG11-0366N1LF	N1	N	36	0.20	20	0.45	D

Notes:


- 1. Pb-Free parts are RoHS 6/6 compliant. RoHS (7a) parts contain lead per exemption 7a which is set to expire in July 2016.
- 2. Please contact the factory or representative for individual datasheets or additional information.
- 3. Parts on this datasheet can be used in -40 to +85°C applications.

F/NT Schematic N1 Schematic Impedance/Freq. Curve 2.5K 16 15 14 13 12 11 10 2K IMPEDANCE () 1.5K 1K 0.5K 2 3 3 5 6 7 0 10 100 500 FREQUENCY (MHz)


1:1:1:1 CMC Filters


F Package (DIL)

NT Package (SMD)




0.015/0.025 [0.38/0.64]





Recommended


Solder Pad Dimensions



0.015/0.025 [0.38/0.64]



0.010 typ [0.25]



US Patent Numbers for SMD Devices 5,656,985 6,297,721 B1 6,297,720 B1 6,320,489 B1

6,344,785 B1 6,662,431 B1

ELECTRONICS, INC 2880 Lakeside Drive #116 Santa Clara, CA 95054 (650) 903-3800 www.haloelectronics.com

HALO® Electronics is a leading supplier of high quality communication magnetics including signal transformers, filters, CMR chokes, PoE power transformers, DC/ DC isolation modules, and integrated Ethernet connectors. HALO's high quality and competitively priced leading edge technology solutions are manufactured in ISO9001 and ISO14001 factories.