
# 132-0116-0002 <

#### Microdot

TE Internal #: 1467950-1 SMB RF Interface, Plug, 50 ohm, Threaded, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 125 °C, Crimp, Right Angle, Brass

View on TE.com >

Connectors > RF Connectors > Coax Connectors



RF Interface: SMB

RF Connector Style: Plug

RF Connector Mated Outer Diameter (Approximate): 4.75 mm [.187 in]

Impedance:  $50 \Omega$ 

RF Connector Coupling Mechanism: Threaded

#### Features

## Product Type Features

Connector Shape	Circular
Connector Product Type	Connector Assembly
Connector Seal & Plug Type	Gasket



RF Interface	SMB
RF Connector Style	Plug
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	1
Number of Coaxial Contacts	1
Electrical Characteristics	
Impedance	50 Ω
Body Features	
Cable Connector Orientation	Right Angle
Body Material	Brass
Body Material Finish	Plated
Body Plating Material	Gold
Contact Features	

**C** For support call+1 800 522 6752

### 132-0116-0002

SMB RF Interface, Plug, 50 ohm, Threaded, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 125 °C, Crimp, Right Angle, Brass



RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Beryllium Copper
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
RF Connector Coupling Mechanism	Threaded
Connector Mounting Type	Cable Mount (Free-Hanging)
Dimensions	
RF Connector Mated Outer Diameter (Approximate)	4.75 mm[.187 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C
Packaging Features	
Packaging Method	Package
Other	
Additional Features	Solderless
Grade	Commercial
Dielectric Material	PTFE

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

Compliant with Exemptions

Not Compliant

Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2024 (241)

Candidate List Declared Against: JUNE

2023 (235)

SVHC > Threshold:

Pb (3.7% in Component)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Wave solder capable to 265°C

**L** For support call+1 800 522 6752

### 132-0116-0002

SMB RF Interface, Plug, 50 ohm, Threaded, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 125 °C, Crimp, Right Angle, Brass




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



## **Customers Also Bought**



### Documents

Product Drawings 132-0116-0002

English

CAD Files

3D PDF

### 132-0116-0002

SMB RF Interface, Plug, 50 ohm, Threaded, 1 Position, Sealable, Wire & Cable, Cable Mount (Free-Hanging), -55 – 125 °C, Crimp, Right Angle, Brass



3D

Customer View Model ENG\_CVM\_CVM\_1467950-1\_D.2d\_dxf.zip English Customer View Model ENG\_CVM\_CVM\_1467950-1\_D.3d\_igs.zip English Customer View Model ENG\_CVM\_CVM\_1467950-1\_D.3d\_stp.zip English

Instruction Sheets Instruction Sheet (U.S.)

English