

## Specification Sheet

Part Number: 596-00251



Solar Circuit Marker, CAUTION: SOLAR CIRCUIT, 7.25" x 5", V, Red, 25/pkg

Article Number	596-00251
Type	CSCSNAP72R
Color	Red (RD)
Features & Benefits	<ul style="list-style-type: none"><li>• Made with UV stable inks and materials for durability and weather resistance.</li><li>• The labels are supplied with aggressive adhesive to ensure long life.</li><li>• Solar Installation labels meet NEC &amp; IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.</li></ul>
Quantity Per	pack

**Product Description**

HellermannTyton pre-printed Solar Installation labels are designed to meet the requirements of the 2014 National Electrical Code (NEC 2014) and the 2012 International Fire Code (IFC 2012) as well as being acceptable to the Authority Having Jurisdiction (AHJ). Labels are made with durable UV stable materials and adhesives that are designed to stick to both baked enamel and powder coat surfaces. Where applicable, labels are made using reflective materials for first responder safety. Some pre-printed labels are printable using a thermal transfer printer when variable voltage or series data must be printed and displayed.

**Short Description**

Solar Circuit Marker, CAUTION: SOLAR CIRCUIT, 7.25" x 5", V, Red, 25/pkg

**Global Part Name**

CSCSNAP72R-VYNL-RD

**Technical Description**

Pre-Printed Solar Marker, Reflective, Non-Adhesive, Coiled, "CAUTION: SOLAR CIRCUIT", 7.25" X 5", Red

**Width W (Imperial)**

7.25

**Width W (Metric)**

184.15

**Height H (Imperial)**

5.0

**Height H (Metric)**

127.0

**Material**

Vinyl

**Material Shortcut**

VYNL

**Halogen free**

No

**Operating Temperature (Metric)**

-18°F to +200°F (-29°C to +93°C)

<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Certification/Specification WEB</b>	UL 969 NEC2011 NEC2017 IFC 2012 NEC2014
<b>Package Quantity(Imperial)</b>	25
<b>Package Quantity (Metric)</b>	25
<b>Customs Number</b>	3919905060
<b>Weight (Metric)</b>	0.074
<b>Weight (Imperial)</b>	0.16