



Positive Lock | Positive Lock 250

TE Internal #: 927389-2

Receptacle, Receptacle, 3 Position, Straight, UL 94V-0, White, Polyamide 6.6, Mating Alignment, Positive Lock 250, Crimp Terminal Housings

[View on TE.com >](#)

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**
Connector & Housing Type: **Receptacle**
Number of Positions: **3**
Terminal Orientation: **Straight**
UL Flammability Rating: **UL 94V-0**

Features

Product Type Features

Sealable	No
Connector System	Wire-to-Board, Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	3
---------------------	---

Body Features

Primary Product Color	White
-----------------------	-------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	Without

Mechanical Attachment

--



Mating Alignment Type	Polarization
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	Polyamide 6.6
Centerline (Pitch)	6.4 mm[.25 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	2000
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1-154719-0 PL 250 REC HSG 1P NYLON NAT	 TE Part # 926526-1 PL MKI 250 REC HSG 5P NYLON BLACK	 TE Part # 926319-1 PL 250 REC HSG 2P NYLON BLACK	 TE Part # 927076-1 PL HOUSING 0.6 PA 6.6 + PE-GF13 BLACK
 TE Part # 1-174587-1 PL MK2 2P 187 HOUSING RECEPTACLE NAT	 TE Part # 927389-1 PL 3P HOUSING PA66 BLACK	 TE Part # 927422-1 POSITIVE LOCK 3P HOUSING PA6.6 BLACK	 TE Part # 926646-8 PL 250 8P HOUSING PA6.6 ZYTEL 101 WHITE
 TE Part # 1-154719-1 PL 250 REC HSG 1P NYLON NAT	 TE Part # 100100-1 2 POS POSITIVE LOCK (PL) HOUSING		

Also in the Series | Positive Lock 250

 Automotive Terminals(1)	 Crimp Terminal Housings(190)	 Insertion & Extraction Tools(3)	 Insulation Boots & Sleeves(4)
--	--	--	--



[Quick Disconnects\(185\)](#)

Customers Also Bought

TE Part #1011-348-0805

DUST CAP, 8P, PLG, BLK, DT

TE Part #284869-1

8POS MQS TAB

TE Part #2213764-1

AV19 SPM 3A FIX RING LED WHITE 12V

TE Part #1-1718491-2

1.5/2.8MM TAB HSG 25 POS ASSY

TE Part #1703810-1

SLIDE,TAB HSG GROUP B

TE Part #51874

TERMINAL,PIDG SPD FLG 26-22 6

TE Part #1-1718492-4

1.5MM TAB HSG 36 POS ASSY

TE Part #1456987-1

2x4 Fem unsealed LP assy Key A

TE Part #2066046-3

2 POS MINI FUSE BOX ASSY

TE Part #2302451-1

MATENET, MALE INSERT MODUL

Documents

Product Drawings

POSITIVE LOCK 3P HOUSING PA 6.6 WHITE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_927389-2_A.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_927389-2_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_927389-2_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.