


MEAS | MEAS HTU

TE Internal #: HPP845E131R5 TE Internal Description: HTU21DF RH/T SENSOR IC B5000 HTU21D Digital High Accuracy RH/T Sensor View on TE.com >



Sensors > Humidity Sensors > Humidity Sensor Components > HTU21D Digital High Accuracy RH/T Sensor



Humidity Sensor Product Type: RHT

Supply Voltage (Peak): 3.8 V

Current Consumption: .014 mA

Operating Temperature Range: -40 – 125 °C [-40 – 257 °F]

Interface Signal Type: Digital

All HTU21D Digital High Accuracy RH/T Sensor (4)

Features

Product Type Features

Humidity Sensor Product Type	RHT
Interface Signal Type	Digital
Electrical Characteristics	
Supply Voltage (Peak)	3.8 V
Current Consumption	.014 mA
Jsage Conditions	
	0 – 100 %RH
Humidity Operating Range	
Humidity Operating Range Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operating Temperature Range Product Compliance For compliance documentation, visit the product page on TE.com>	-40 – 125 °C[-40 – 257 °F]
Operating Temperature Range Product Compliance	
Operating Temperature Range Product Compliance For compliance documentation, visit the product page on TE.com>	-40 – 125 °C[-40 – 257 °F]
Operating Temperature Range Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	-40 – 125 °C[-40 – 257 °F] Compliant



Does not contain REACH SVHC

Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

Not reviewed for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-HSC0004TE Part # HPP845E132R4HTU21D Digital High Accuracy RH/TI.C 21PF RH/T PWM B400Sensor


Also in the Series | MEAS HTU



Customers Also Bought

HTU21DF RH/T SENSOR IC B5000







TE Part #1-1969543-0 ASSY, HDR, VERT, 10P, DUAL ROW, EP2.5

Documents

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_HPP845E131R5_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_HPP845E131R5_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_HPP845E131R5_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HTU21D

English