




MATE-N-LOK | Commercial MATE-N-LOK

TE Internal #: 880685-2

Pin Contact, Tin, 250 VAC, Locking Lance Contact Retention, 17 – 13 AWG Wire Size, 1.04 – 2.63 mm² Wire Size, Crimp, Brass, Commercial MATE-N-LOK

[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Pin**

Contact Mating Area Plating Material: **Tin**

Wire Contact Termination Area Plating Material: **Pre-Tin**

Operating Voltage: **250 VAC**

Contact Retention Within Housing: **With**

Features

Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------

Contact Features

Mating Pin Diameter	3.56 mm [.14 in]
Wire Contact Termination Area Plating Material Finish	Matte
Contact Orientation	Straight
Contact Type	Pin
Contact Mating Area Plating Material	Tin
Wire Contact Termination Area Plating Material	Pre-Tin
Contact Retention Within Housing	With
Contact Base Material	Brass
Contact Current Rating (Max)	17 A

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable



Mechanical Attachment

Wire Insulation Support	With
Contact Retention Type Within Housing	Locking Lance

Dimensions

Compatible Insulation Diameter Range	2.7 – 4 mm [.106 – .157 in]
Wire Size	1.04 – 2.63 mm ²

Usage Conditions

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Quantity	2500
Packaging Method	Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




Also in the Series | Commercial MATE-N-LOK





Insertion & Extraction Tools(3)



PCB Headers & Receptacles(56)



Rectangular Connector Housings(9)



Rectangular Power Connectors(115)




Standard Circular Connectors(2)




Standard Rectangular Connectors(2)


Customers Also Bought



TE Part #880645-6
PL REC 1.0-2.5MM2 0.40 X 52.32 PTPBR



TE Part #880646-6
POSITIVE LOCK REC.



TE Part #444230-1
ASS'Y 2 POSN 63 SER



TE Part #880636-2
FF 250 TAB 1.0-2.5 MM2 0.39 X 13.2 TPBR



TE Part #926101-1
02P PIN HOUSING




TE Part #926102-1
2 POS M-N-L FEMALE HOUSING



TE Part #1-881570-4
COMB HSG JPT/SPT P.



TE Part #170002-7
TERMINAL GROUP NUMBER



TE Part #61062-1
.060 COMBOLINE PIN,
STRIPPRODUCT



TE Part #626232
ISOLADOR

Documents



Product Drawings

[.140 DIA PIN](#)

English

CAD Files

Customer View Model

[ENG_CVM_880685-2_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_880685-2_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_880685-2_B.2d_dxf.zip](#)

English

3D PDF

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_880685-2_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_880685-2_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_880685-2_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English