

## Data sheet


OpDAT REGpro front cover 3RU, 7HP 6xSC-D MM (ceramic, metal)

P/N  
15024AC206-E


EAN 4250184130420

2018-06-03

### Illustrations



Dimensional drawing



See enlarged drawings at the end of document

### Product specification

- front plate 3RU/7HP with 6 SC-D adapters
- slotted ceramics sleeve for single mode and multimode applications
- suitable for mounting in OpDAT REGpro and OpDAT REG S
- gray, powder-coated steel sheet
- variants: equipped with SC-D-adapters each metal or blue (OS2), violet (OM4), aqua (OM3), beige (OM2) or green (OS2 APC)

### Technical Data

#### General Data

Fields of application

Structured building cabling, Office  
Data center

Design

Front cover

Mounting style

3RU/7HP

Transmission technology

Fiber optic

Color

gray

Dimensions

Dimension (L x W x H)

28.60 x 128.90 x 35.30 mm

Dimension (L x W x H)

1.126 x 5.075 x 1.39 in.

Height unit

3RU

Horizontal pitch

7Units

Mode type of the fiber

Multimode

#### Connections/interfaces

Connector technology interface 1

SC-D Couplers

Connector technology interface 2

SC-D Couplers

Number of ports interface 1

6

Number of ports interface 2

6

Number of equipped ports interface 1

6

Number of equipped ports interface 2

6

Number of ports with dust protection interface 1

6

Number of ports with dust protection interface 2

6

#### Mechanical characteristics

Cut-out

SC-D, LC-Q, ST-D

Connector type

Duplex

Life - Number of mating cycles

min. 500

#### Materials and material properties

Material - Mounting plate

steel

Material - Mounting plate finish

powder-coated

Material - Sleeve

PhBr, slotted

Material - Coupler housing

Plastics



Data sheet

Page 3/4

## OpDAT REGpro front cover 3RU, 7HP 6xSC-D MM (ceramic, metal)

P/N

15024AC206-E

EAN 4250184130420

2018-06-03

### Technical Data

#### Approvals

RoHS compliant

#### The product meets the following standards

Fibre optic connector interfaces DIN EN 61754-4

#### Classifications

ETIM 5.0 EC001130

ETIM 6.0 EC001130

#### Packing details

Type of packaging	1 pc(s) / plastic bag
Packaging unit - Weight (gram)	280.00 g
Packaging unit - Weight (pound)	0.62 lb
Packaging dimension (W x H x D)	160.00 x 100.00 x 380.00 mm
Packaging dimension (W x H x D)	6.299 x 3.937 x 14.961 in.



### Illustrations

Dimensional drawing

