

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F



E

D


C

B

A




SECTION X-X



SECTION Y-Y

NOTES

1. 使用材料 : 銅合金、錫メッキ  
MATERIAL :PRE-TINNED COPPER ALLOY
2. 適合ハウジング :501328-\*\*\*\*  
APPLICABLE HS'G 51347-\*\*\*\*  
51284-\*\*\*\*
3. 適用電線サイズ AWG#22-26  
心線外径 : 0.34-0.136  
被覆外径 : φ1.25-φ1.7



500989-1*00	500989-1100	バラ状 LOOSE
	500989-1000	連鎖状 CHAIN
MODEL NO.	MATERIAL NO.	FORM

RELEASED EC NO: J2005-2177 DRWN: TODA 2005/03/31 CHKD: ASAKAWA 2005/03/31 APPR: SICHIKAWA 2005/03/31	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	10 UNDER	±0.2	DRAWN BY T. ODA	DATE '05/02/07	TITLE 3.3 W/W,W/B CONN. REC. TERMINAL			
	10 OVER 30 UNDER	±0.25	CHECKED BY K. ASAKAWA	DATE '05/02/07				
	30 OVER	±0.3	APPROVED BY S. ISHIKAWA	DATE '05/02/07	MOLEX INCORPORATED			
	ANGULAR	±3 °	MATERIAL NO.	DOCUMENT NO. SD-500989-002				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

9

8

7

6

5

4

3

2