







广东星坤科技股份有限公司	
DATE	日期
MARK	文件工程章

DESCRIPTION	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
REVISIONS				
www.helloxkb.com	www.helloxkb.cn	www.xk-dg.cn		

DSND	SCALE: N/A	MODEL TYPE:
DWN	VIEW:	PART NO.: X1304WVS-52A-LPV10
CHKD	UNIT: mm/in	DWG NO.: X-X1304WVS-52A-LPV10
APPD	SIZE: A4	WEIGHT
XKB INDUSTRIAL PRECISION CO.,LIMITED		SHEET 1/1
		REVISION A0

NOTES 注释:

1. MATERIAL材料:

HOUSING外壳: THERMOPLASTIC, HIGH TEMP.,
UL94V-0;BLACK COLOR

CONTACTS触点: COPPER ALLOY.

PEGS螺钉: COPPER ALLOY.

2. FINISH饰面:

CONTACT触点:SELECTEIVE GOLD PLATING ON CONTACT AREA.
100μ"MIN. MATTE TIN PLATING ON SOLDER TAILS,
50μ" MIN. NICKEL UNDERPLATING OVERALL.

PEGS螺钉: 120u" MIN. MATTE-TIN OVER 50u" MIN. NICKEL.

X1304 W V S - 52 A - LP V10

① ② ③④ ⑤ ⑥ ⑦ ⑧

①Series Number

②Terminal form: W-Wafer

③Welding Board Angle : V-Stright Angle 180°

④Welding Way:S-SMT

⑤No.of Pins: 52 PIN

⑥HEIGHT: A 4.0mm;B 5.2mm;C 5.6mm;D 6.8mm;
E 7.0mm;F 8.0mm;G 9.0mm;H 9.9mm

⑦Plastic material: LP-PCP UL94V-0

⑧Contact Plating:V01-Gold Flash 1"u";
V10-Gold Flash 10"u";
V30-Gold Flash 30"u"

广东星坤科技股份有限公司

Δx

Δx

Δx

MARK

日期

文件工程章

REVISIONS					UNSPECIFIED TOLERANCES	
DATE	REVISED	APPROVED				
			ANGLAR	±5°		
			L≤ 4	±0.2		
			4<L≤ 16	±0.3		
			16<L≤ 63	±0.4		
			L> 63	±0.5		

XKLB

DSND

DWN

CHKD

APPD

SCALE: N/A

VIEW: 

UNIT: mm/in

SIZE: A4

MODEL TYPE:

PART NO.: X1304WWS-52A-LPV10

DWG NO.: X-X1304WWS-52A-LPV10


WEIGHT

SHEET 1/1


REVISION A0

XKB INDUSTRIAL PRECISION CO.,LIMITED


COMPONENT KEEP OUT AREA FOR
CARD HOLD DOWN SOLUTION




—D— IS THE TOP SURFACE OF PCB.
RECOMMENDED P.C. BOARD PATTERN LAYOUT
FOR HALF CARD CONNECTOR
(TOP VIEW)



EJECT HEIGHT
FOR FULL CARD




DETAIL D
SCALE 2:1



EJECT HEIGHT
FOR HALF CARD

COMPONENT KEEP OUT AREA FOR
CARD HOLD DOWN SOLUTION



—D— IS THE TOP SURFACE OF PCB.
RECOMMENDED P.C. BOARD PATTERN LAYOUT
FOR HALF CARD CONNECTOR
(TOP VIEW)

广东星坤科技股份有限公司

DATE

文件工程单

DESCRIPTION

REVISIONS

DATE

REVISED

APPROVED


ANGLAR ±5°
L ≤ 4 ±0.2
4 < L ≤ 16 ±0.3
16 < L ≤ 63 ±0.4
L > 63 ±0.5

UNSPECIFIED TOLERANCES

XKLB

XKB INDUSTRIAL PRECISION CO., LIMITED

DSND		SCALE: N/A	MODEL TYPE:
DWN		VIEW:	PART NO.: X1304WVS-52A-LPV10
CHKD		UNIT: mm/in	DWG NO.: X-X1304WVS-52A-LPV10
APPD		SIZE: A4	
WEIGHT			SHEET
			1/1
REVISION			A0



NOTES 注释:

- △ CARD THICKNESS APPLIES ACROSS TABS AND INCLUDES PLATING AND/OR METALLIZATION.
卡片厚度适用于所有接线片，包括电镀和/或金属化。
- △ EDGE BEVEL MUST BE PRESENT AND FREE OF CUTTING CONTACT MATERIALS BURRS FROM AND PCB
边缘斜面必须均匀且无切割接触材料毛刺和PCB
- △ COMPONENT AND ROUTING (TOP/BOTTOM LAYER) KEEP OUT AREA FOR HOLD DOWN SOLUTIONS.
元件和布线(顶层/底层)为压紧解决方案留出区域

广东星坤科技股份有限公司	
Δ	日期
Δ	日期
Δ	日期
MARK	文件工程章
DESCRIPTION	
REVISIONS	
DATE	
REVISED	
APPROVED	
UNSPECIFIED TOLERANCES	
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn	

ANGLAR	±5°
L ≤ 4	±0.2
4 < L ≤ 16	±0.3
16 < L ≤ 63	±0.4
L > 63	±0.5
UNSPECIFIED TOLERANCES	

XKB

XKB INDUSTRIAL PRECISION CO., LIMITED

DSND	SCALE: N/A	MODEL TYPE:
DWN	VIEW:	PART NO.: X1304WVS-52A-LPV10
CHKD	UNIT: mm/in	DWG NO.: X-X1304WVS-52A-LPV10
APPD	SIZE: A4	WEIGHT
		SHEET 1/1
		REVISION A0