



PRODUCT NO
SEE TABLE


REV	DESCRIPTION	BY	DATE
X			




2 X 5
STYLE A



2 X 7
STYLE C



2 X 5
STYLE B



2 X 6 THRU 2 X 30
STYLE D

NOTES:

- 1 WELDING MATERIAL, GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL 94V-0. COLOR: BLUE.
- 2 TERMINAL MATERIAL, PHOSPHORUS BRONZE.
- 3 1° MAX DRAFT PERMITTED ON ALL SURFACES.
- 4 SAME TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL.
- 5 1.8 MM/4 LBS MIN TENSILE PULL-OUT FORCE.
- 6 .12/.000 STEP AROUND MOUNTING HOLE.
- 7 RECOMMENDED MOUNTING SCREW SIZE 00-06 FULLISTER HEAD
 4.7X.130 LONG FOR 1.5X.00 BOARD
 5.7X.130 LONG FOR 2.4X.00, 3.18X.130 BOARD
- 8 ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION
- 9 IF "LF" P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN 00-00-000.
- 10 THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE.

11. plating option. Maybe Either Gold or GXT plating at manufacturer's option.

CUSTOMER SPEC	
NO	DESCRIPTION
1	SEE TABLE
2	SEE TABLE
3	SEE TABLE
4	SEE TABLE
5	SEE TABLE
6	SEE TABLE
7	SEE TABLE
8	SEE TABLE
9	SEE TABLE
10	SEE TABLE
11	SEE TABLE
12	SEE TABLE
13	SEE TABLE
14	SEE TABLE
15	SEE TABLE
16	SEE TABLE
17	SEE TABLE
18	SEE TABLE
19	SEE TABLE
20	SEE TABLE




www.fcjconnect.com

HEADER, SLATSIDE, SLIM LINE, VERTICAL


PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65692-001	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	A
-002							3.8/.15	90		
-003							17.15/.675	90		
-004							2.67/.105	90	3.81 μ /150 μ " TIN	
-005							3.8/.15	90		
-006	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	90		A
-007	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	D
-008							3.8/.15	90		
-009							17.15/.675	90		
-010							2.67/.105	90	3.81 μ /150 μ " TIN	
-011							3.8/.15	90		
-012	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	90		
-013	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.13/1.580	38.10/1.500	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-014							3.8/.15	90		
-015							17.15/.675	90		
-016							2.67/.105	90	3.81 μ /150 μ " TIN	
-017							3.8/.15	90		
-018	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.13/1.580	38.10/1.500	17.15/.675	90		
-019	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-020							3.8/.15	90		
-021							17.15/.675	90		
-022							2.67/.105	90	3.81 μ /150 μ " TIN	
-023							3.8/.15	90		
-024	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	90		
-025	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-026							3.8/.15	90		
-027							17.15/.675	90		
-028							2.67/.105	90	3.81 μ /150 μ " TIN	
-029							3.8/.15	90		
65692-030	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	90		

REVISION		
REV	DESCRIPTION	DATE
1		

DATE 11/10/11		ISSUE 11/10/11		CUSTOMER COPY CODE IDENT 23884		 www.fcjconnect.com	
SCALE 1:1		OR NOT SCALE DRAWING		PLATING .76 μ /30 μ "Au OVER 1.27/50 μ "Ni		DATE 11/10/11	
TOLERANCE SHEETS REQUIRED		OR NOT SCALE DRAWING		PLATING .76 μ /30 μ "Au OVER 1.27/50 μ "Ni		DATE 11/10/11	
TOLERANCE SHEETS REQUIRED		OR NOT SCALE DRAWING		PLATING .76 μ /30 μ "Au OVER 1.27/50 μ "Ni		DATE 11/10/11	
TOLERANCE SHEETS REQUIRED		OR NOT SCALE DRAWING		PLATING .76 μ /30 μ "Au OVER 1.27/50 μ "Ni		DATE 11/10/11	

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65692-031	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD		D
-032							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	
-033							17.15/.675	SO		
-034							2.67/.105	SO		
-035							3.8/.15	SO	3.81 μ /150 μ * TIN	
-036	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO		D
-037	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C
-038							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	
-039							17.15/.675	SO		
-040							2.67/.105	SO		
-041							3.8/.15	SO	3.81 μ /150 μ * TIN	
-042	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C
-043	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D
-044							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	
-045							17.15/.675	SO		
-046							2.67/.105	SO		
-047							3.8/.15	SO	3.81 μ /150 μ * TIN	
-048	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO		D
-049	2X5	26.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A
-050	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200				D
-051	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500				
-052	2X17	54.6/2.15	48.8/1.92	45.64/1.600	50.29/1.980	48.26/1.900			.75 μ /30 μ * GXT/GOLD FLASH	
-053	2X20	62.3/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200				
-054	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700				D
-055	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900				C
-056	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD		D
-057	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	
-058							3.8/.15	RD		
-059							17.15/.675	SO		
-060							2.67/.105	SO		
-061							3.8/.15	SO	3.81 μ /150 μ * TIN	
-062							17.15/.675	SO		
-063							2.67/.105	RD		
-064							3.8/.15	RD	.75 μ /30 μ * GXT/GOLD FLASH	
65692-065	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO		D

REVISIONS			
REV	DESCRIPTION	BY	DATE
01			

SHEET NO: 1 DATE: 05/05/2007 DRAWN BY: [blank] CHECKED BY: [blank]	TITLE: [blank] PART NO: [blank] REV: [blank]	QUANTITY: [blank] UNIT: [blank]	MATERIAL: [blank]	FINISH: [blank]	TOLERANCE: [blank]	REF: [blank]	ORDER NO: [blank]	CUSTOMER COPY CODE IDENT 25899	 www.fcjconnect.com
DO NOT SCALE DIMENSIONS			ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED		DIMENSIONS TO CENTER UNLESS OTHERWISE SPECIFIED		TYPICAL DIMENSIONS TO CENTER UNLESS OTHERWISE SPECIFIED		
TOLERANCE: [blank]			FINISH: [blank]		REF: [blank]		ORDER NO: [blank]		
SHEET NO: 1			PART NO: [blank]		REV: [blank]		CUSTOMER COPY CODE IDENT 25899		

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS		
											REV	DESCRIPTION	BY
65692-066	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.76u/30u* GXT/GOLD FLASH	A			
-067	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		A			
-068	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C			
-069	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C			
-070	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D			
-071	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO					
-072	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD					
-073	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO					
-074	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/.105	RD					
-075	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/.675	SO					
-076	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD					
-077	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO					
-078	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD					
-079	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	SO					
-080	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD					
-081	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO					
-082	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD	.35u/15u*Au OVER 1.27u/50u*Ni	A			
-083	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A			
-084	2X5	24.17/.95	18.37/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		A			
-085	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C			
-086	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	3.8/.15	RD		C			
-087	2X7	29.2/1.15	23.47/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C			
-088	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D			
-089	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD					
-090	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO					
-091	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	RD					
-092	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	3.8/.15	RD					
-093	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	SO					
-094	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	2.67/.105	RD					
-095	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	3.8/.15	RD					
-096	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500	17.15/.675	SO					
-097	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	RD					
-098	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	3.8/.15	RD					
-099	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	SO					
65692-100	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	RD					

CUSTOMER COPY
 CODE 10000
 DATE 1/8/08
 FCJ www.fcjconnect.com
 TITLE: HEADER, DUTKIE BLIN LINE, VERTICAL
 SHEET SIZE: 100 X 100
 65692 SHEET 5

DO NOT SCALE DIMENSIONS
 DIMENSIONS IN MILLIMETERS
 ANGLES IN DEGREES
 TOLERANCES UNLESS OTHERWISE SPECIFIED
 FRACTIONS: 1/16, 1/8, 1/4, 3/8, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4, 1 1/2, 1 3/4, 2, 2 1/4, 2 1/2, 2 3/4, 3, 3 1/4, 3 1/2, 3 3/4, 4, 4 1/4, 4 1/2, 4 3/4, 5, 5 1/4, 5 1/2, 5 3/4, 6, 6 1/4, 6 1/2, 6 3/4, 7, 7 1/4, 7 1/2, 7 3/4, 8, 8 1/4, 8 1/2, 8 3/4, 9, 9 1/4, 9 1/2, 9 3/4, 10
 DECIMALS: .0005, .001, .002, .005, .01, .015, .02, .03, .04, .05, .06, .07, .08, .09, .1, .15, .2, .25, .3, .4, .5, .6, .7, .8, .9, 1, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 15, 20, 25, 30, 40, 50, 60, 80, 100

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS				
											REV	DESCRIPTION	BY	DATE	
65692-101	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	56.88/2.200	3.8/.15	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D					
-102	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	56.88/2.200	17.15/.675	SO							
-103	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD							
-104	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	3.8/.15	RD							
-105	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO							
-106	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD							
-107	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	3.8/.15	RD							
-108	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO							
-109	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	2.67/.105	RD		.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	B				
-110							3.8/.15	RD							
-111							17.15/.675	SO							
-112							2.67/.105	SO	3.81 μ /150 μ * TIN						
-113							3.8/.15	SO							
-114							17.15/.675	SO							
-115							2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni						
-116							3.8/.15	RD							
-117							17.15/.675	SO							
-118							2.67/.105	RD	.76 μ /30 μ * GXT/GOLD FLASH						
-119							3.8/.15	RD							
65692-120	2X5	24.1/1.95	18.3/1.72	10.16/1.400	19.81/1.780	17.78/1.700	17.15/.675	SO		B					
65692-121	OBSOLETE														
65692-216	OBSOLETE														
65692-217	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D					
-218							3.81/.150	RD							
-219							17.15/.675	SO							
-220							2.67/.105	RD		.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni					
-221							3.81/.150	RD							
-222							17.15/.675	SO							
-223							2.67/.105	RD		.76 μ /30 μ * GXT/Au FLASH					
-224							3.81/.150	RD							
-225							17.15/.675	SO							
-226							2.67/.105	SO		3.81 μ /150 μ * TIN					
-227							3.81/.150	SO							
65692-228	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	17.15/.675	SO		D					

CUSTOMER COPY		CODE IDENT		DATE	
22886		22886		1/8/99	
FCJ		www.fcj.com		1/8/99	
TITLE: HEADER, QUICKIE SLID LINE, VERTICAL.					
FORM		SIZE		DATE	
1/1		D		65692	
SHEET		NO		PAGE	
6		6		6	

DATE	TIME	BY	CHK	REV	DATE	TIME	BY	CHK	REV	DATE	TIME	BY	CHK	REV

NOTE: This print is the property of and contains confidential information of the customer. No part of this drawing shall be loaned, copied, or otherwise disseminated without the written consent of the customer.

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS			
											REV	DESCRIPTION	BY	DATE
65692-229	2X15	49.5/1.95	43.7/1.72	35.56/1.400	45.21/1.780	43.18/1.700	2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D				
-230							3.81/.150	RD						
-231							17.15/.675	SO						
-232							2.67/.105	RD						
-233							3.81/.150	RD	.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni					
-234							17.15/.675	SO						
-235							2.67/.105	RD						
-236							3.81/.150	RD	.76 μ /30 μ * GXT/Au FLASH					
-237							17.15/.675	SO						
-238							2.67/.105	SO						
-239							3.81/.150	SO	3.81 μ /150 μ * TIN					
-240	2X15	49.5/1.95	43.7/1.72	35.56/1.400	45.21/1.780	43.18/1.700	17.15/.675	SO						
-241	2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni					
-242							3.81/.150	RD						
-243							17.15/.675	SO						
-244							2.67/.105	RD						
-245							3.81/.150	RD	.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni					
-246							17.15/.675	SO						
-247							2.67/.105	RD						
-248							3.81/.150	RD	.76 μ /30 μ * GXT/Au FLASH					
-249							17.15/.675	SO						
-250							2.67/.105	SO						
-251							3.81/.150	SO	3.81 μ /150 μ * TIN					
-252	2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	17.15/.675	SO		D				
-253	2X5	24.1/1.95	18.3/1.72	18.16/1.400	19.81/1.780	17.78/1.700	2.67/.105	SO	.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	A				
-254	2X10	36.8/1.45	30.9/1.22	22.86/1.900	32.51/1.280	30.48/1.200	2.67/.105	SO		D				
-255	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	SO		D				
-256	2X5	CUSTOMER RESTRICTED CUSTOMER RESTRICTED												
-257	2X10													
-258	2X20													
-259	2X10													
-260	2X17													
-261	2X20													
-262	2X17													
65692-263	2X5													

REVISIONS			
REV	DESCRIPTION	BY	DATE
✓			

<table border="1"> <tr> <td>DO NOT SCALE DIMENSIONS</td> <td> <table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> </td> </tr> <tr> <td> <table border="1"> <tr> <td>DO NOT SCALE DIMENSIONS</td> <td> <table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> </td> </tr> </table> </td> <td> <table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> </td> </tr> </table>	DO NOT SCALE DIMENSIONS	<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.					<table border="1"> <tr> <td>DO NOT SCALE DIMENSIONS</td> <td> <table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> </td> </tr> </table>	DO NOT SCALE DIMENSIONS	<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.					<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.					<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.					<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.				
DO NOT SCALE DIMENSIONS	<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.																																											
DATE	ISSUE	BY	NO.																																													
<table border="1"> <tr> <td>DO NOT SCALE DIMENSIONS</td> <td> <table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> </td> </tr> </table>	DO NOT SCALE DIMENSIONS	<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.					<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.																																	
DO NOT SCALE DIMENSIONS	<table border="1"> <tr> <td>DATE</td> <td>ISSUE</td> <td>BY</td> <td>NO.</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	ISSUE	BY	NO.																																											
DATE	ISSUE	BY	NO.																																													
DATE	ISSUE	BY	NO.																																													
DATE	ISSUE	BY	NO.																																													
DATE	ISSUE	BY	NO.																																													



TITLE HEADER, QUICKIE SLIM LINE, VERTICAL

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[65692-001LF](#) [65692-003LF](#) [65692-008LF](#) [65692-014LF](#) [65692-020LF](#) [65692-025LF](#) [65692-031LF](#) [65692-032LF](#)
[65692-037LF](#) [65692-051LF](#) [65692-058LF](#) [65692-066LF](#) [65692-232LF](#) [65692-002LF](#) [65692-019LF](#) [65692-001](#)
[65692-026](#) [65692-051](#) [65692-043LF](#) [65692-013](#) [65692-007LF](#) [65692-013LF](#) [65692-007](#) [65692-026LF](#)