


TE Internal #: 9-1734774-7 Cable-to-Board, 164 Position, 1 mm [.039 in] Centerline, Vertical, Black, Height 10 mm [.394 in], Width 8.8 mm [.346 in], PCI & PCI Express Connectors

View on TE.com >

Connectors > PCB Connectors > Card Edge Connectors > PCI & PCI Express Connectors



Connector System: Cable-to-Board

Number of Positions: 164

PCI Generation: 2

Centerline (Pitch): 1 mm [.039 in]

Termination Post & Tail Length: 2.3 mm [.091 in]

Features

Product Type Features



Connector & Contact Terminates To	Printed Circuit Board
Connector System	Cable-to-Board
Configuration Features	
Number of PCB Mount Retention Features	2
Number of Positions	164
PCB Mount Orientation	Vertical
Ejector	Without
Electrical Characteristics	
Operating Voltage	50 VAC
Body Features	
Product Weight	8.8 g[.31 oz]
Primary Product Color	Black
Contact Features	
PCB Contact Termination Area Plating Material Thickness	2.54 µm

9-1734774-7

Cable-to-Board, 164 Position, 1 mm [.039 in] Centerline, Vertical, Black, Height 10 mm [.394 in], Width 8.8 mm [.346 in], PCI & PCI Express Connectors



+1 800 522 6752	09/17/2024
EU RoHS Directive 2011/65/EU	Compliant
Product Compliance For compliance documentation, visit the product page on TE.com>	
Packaging Method	Box & Tray, Tray
Packaging Quantity	30
Packaging Features	
PCI Generation	2
Bus Type	PCI Express
ndustry Standards	
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Jsage Conditions	
Connector Width	8.8 mm[.346 in]
Connector Height	10 mm[.394 in]
PCB Thickness (Recommended)	1.6 mm[.063 in]
PCB Thickness (Accepted)	1.57 mm[.062 in]
Connector Length	89 mm[3.504 in]
Dimensions	
Centerline (Pitch)	1 mm[.039 in]
Housing Material	PA 46
Housing Features	
Connector Mounting Type	Board Mount
Mechanical Attachment	
Termination Post & Tail Length	2.3 mm[.091 in]
Termination Method to PCB	Through Hole - Solder
Termination Features	
	30 µin
Contact Current Rating (Max)	1.1 A
Contact Base Material	Phosphor Bronze
PCB Contact Termination Area Plating Material	Tin
PCB Contact Termination Area Plating Material Finish	Matte

C For support call+1 800 522 6752

9-1734774-7

Cable-to-Board, 164 Position, 1 mm [.039 in] Centerline, Vertical, Black, Height 10 mm [.394 in], Width 8.8 mm [.346 in], PCI & PCI Express Connectors



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought



9-1734774-7

Cable-to-Board, 164 Position, 1 mm [.039 in] Centerline, Vertical, Black, Height 10 mm [.394 in], Width 8.8 mm [.346 in], PCI & PCI Express Connectors





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_9-1734774-7_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_9-1734774-7_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_9-1734774-7_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

AMP COMMON TERMINATION (CT), CONNECTOR, 2mm PITCH, M/T TYPE, LEAD FREE VERSION

Japanese

Product Specification

Japanese