204522-2 <

AMPLIMITE

TE Internal #: 204522-2 Receptacle, Cable-to-Cable, 104 Position, 6 Connector Shell Size, Socket, Size 22 Contact Size, Box Mount D-Sub Connectors View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > Box Mount D-Sub Connectors



Connector & Housing Type: Receptacle Connector System: Cable-to-Cable Number of Positions: 104 Power/Signal/Coax Combination: No Connector Shell Size: 6

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable
Connector Shell Size	6
Sealable	No

Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	104
Power/Signal/Coax Combination	No
Body Features	
Rear Shell Material	Steel
Rear Shell Plating Material	Cadmium
Front Shell Plating Material	Cadmium
Mating Retention Feature Material	Stainless Steel
Front Shell Material	Steel
Contact Features	
Contact Options	Supplied – Uninstalled
Contact Mating Area Plating Material	Gold
Contact Base Material	Copper Alloy
Contact Type	Socket

C For support call+1 800 522 6752

204522-2

Receptacle, Cable-to-Cable, 104 Position, 6 Connector Shell Size, Socket, Size 22 Contact Size, Box Mount D-Sub Connectors



Contact Size	Size 22
Contact Current Rating (Max)	5 A
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mounting Hole Diameter	3.17 mm[.125 in]
Connector Mounting Type	Panel Mount
Mating Alignment	Without
Housing Features	
Centerline (Pitch)	2.29 mm[.09 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (.6% in Componet part) Cd (1% in Componet part) Aticle Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

204522-2

Receptacle, Cable-to-Cable, 104 Position, 6 Connector Shell Size, Socket, Size 22 Contact Size, Box Mount D-Sub Connectors




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



204522-2

Receptacle, Cable-to-Cable, 104 Position, 6 Connector Shell Size, Socket, Size 22 Contact Size, Box Mount D-Sub Connectors





Documents

Product Drawings RECEPT ASSY,104 POSN,AMPLIMITE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_204522-2_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_204522-2_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_204522-2_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1308940_Sec8_amplimite

English

Instruction Sheets

Instruction Sheet (U.S.)

English