

Specifications:

规格:







- 1.Voltage rating:250VAC/DC
额定电压: 250V AC/DC
- 2.Current rating:1A AC/DC
额定电流: 1A AC/DC
- 3.Withstanding voltage:500V AC/minute
耐受电压: ≥500V AC/分钟
- 4.Temperature range:-40℃-+105℃
温度范围: -40℃-+105℃
- 5.Insulation resistance:1000MΩMIN
绝缘电阻: ≥1000MΩ
- 6.Contact resistance:20mΩMax
接触电阻: ≥20mΩ
- Material:
材料:
- 7.Rubber core:PBT UL94V-0
胶芯: PBT UL94V-0
- 8.The iron shell:SPCC Nivkel Plating/Tin Plating
铁壳: SPCC,镀镍/镀锡
- B、成品不能有弯针, R角不一致等不良。

X08 XX F X X X 5
① ② ③ ④ ⑤ ⑥ ⑦

- ① Series NO.
- ② Row No.Pin No.XX-09;15;25;37
- ③ Welding Board Angle :F-Female
- ④ T: Tradutional C: Car-pin
- ⑤ Planting Categoty: 1:1U 2:2U 3:3U 4:4U 5:5U 6:6U 7:7AuSn
- ⑥ Color:B-BLACK W-White BL-Blue
- ⑦ 1:TYPE-1; 2:TYPE-2; 3:TYPE-3; 4:TYPE-4; 5:TYPE-5

NUMBER OF POSITIONS	DIMENSION				
	A±0.40	B±0.30	C±0.30	D±0.25	E±0.25
9	30.80	25.00	16.35	11.08	10.16
15	39.14	33.30	24.75	19.39	17.78
25	53.05	47.04	38.35	33.24	30.38
37	69.32	63.50	54.75	49.86	45.72

X08XXWFXXX5	XDBLS	XDBLM
PART NO	SCREW	NUT



	SCALE: N/A	MODEL TYPE: D-USB		
	VIEW: 	PART NO.: X08XXFXXX5		
	UNIT: mm/in	DWG NO.: X-X08XXFXXX5		
	SIZE: A4			
VISION CO.,LIMITED		WEIGHT	SHEET	REVISION
			1/1	A0

广东星坤科技股份有限公司



文件工程章

REVISIONS	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
ΔX				ANGLAR ±5°
ΔX				L ≤ 4 ±0.2
ΔX				4 < L ≤ 16 ±0.3
MARK				16 < L ≤ 63 ±0.4
				L > 63 ±0.5

XKLB

XKB INDUSTRIAL PRECISION CO.,LIMITED

2.00±0.20 [0.079]



4.75±0.15 [0.187]

#4-40UNC

Specifications:

规格:

Material: Brass

材料: 黄铜

Plating: 50u"MIN ; 80u"MIN

电镀: 50u"镍 ; 80u"镍

广东星坤科技股份有限公司

ΔX	日期
ΔX	日期
ΔX	日期
MARK	

DESCRIPTION	DATE	REVISED	APPROVED
REVISIONS			
UNSPECIFIED TOLERANCES			



DSND		SCALE: N/A
DWN		VIEW:
CHKD		UNIT: mm/in
APPD		SIZE: A4


MODEL TYPE:	D-USB 螺母
PART NO.:	XDBLM
DWG NO.:	X-XDBLM

文件工程章

www.helloxkb.com www.helloxkb.cn www.xk-dg.cn

XKB INDUSTRIAL PRECISION CO.,LIMITED

#4-40UNC



Specifications:

规格:

Material: Brass

材料: 黄铜

Plating: 50u"MIN ; 80u"MIN

电镀: 50u"镍 ; 80u"镍

广东星坤科技股份有限公司

生效日期

文件工程章

REVISIONS					UNSPECIFIED TOLERANCES	
DESCRIPTION	DATE	REVISED	APPROVED			
					ANGULAR	±5°
					L ≤ 4	±0.2
					4 < L ≤ 16	±0.3
					16 < L ≤ 63	±0.4
					L > 63	±0.5

XKB	DSND		SCALE: N/A	MODEL TYPE: D-USB 螺丝		
	DWN		VIEW:	PART NO.: XDBLS		
	CHKD		UNIT: mm/in	DWG NO.: X-XDBLS		
	APPD		SIZE: A4			
XKB INDUSTRIAL PRECISION CO., LIMITED				WEIGHT	SHEET 1/1	REVISION A0