

设备连接器，板后安装 - CA-63P1N12HZ00 - 1410588

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)




用于板后安装的可插拔设备连接器，直头，屏蔽：有，SPEEDCON 速连技术，M23，位数：6+3，触点类型：孔式插头，焊接，轴向密封，中心安装孔

图为12位连接器



关键商业数据

包装单位	1 STK
GTIN	 4 046356 901048
GTIN	4046356901048
Sales Key	ABRBFJ


技术数据

Environmental Product Compliance


REACH SVHC	Lead 7439-92-1
China RoHS	环保使用期限 = 50
	更多有害物质的详情，请参考“下载区”内的“制造商声明”

产品图

示意图




尺寸图



设备连接器，板后安装 - CA-63P1N12HZ00 - 1410588

尺寸图



安装尺寸

认证

认证

认证

UL Recognized / cUL Recognized / EAC / cULus Recognized

防爆认证

认证详情

UL Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm E335019-20141210
额定电压 UN	150 V	
额定电流 IN	8 A	
mm ² /AWG/kcmil	18	

cUL Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm E335019-20141210
额定电压 UN	150 V	
额定电流 IN	6 A	
mm ² /AWG/kcmil	18	

EAC		B.01742
-----	--	---------

设备连接器，板后安装 - CA-63P1N12HZ00 - 1410588

认证

cULus Recognized



<http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm>

附件

附件

保护盖

保护盖 - SF-Z0019 - 1607449



保护盖 - RC-Z2059 - 1604225



塑料抗静电防尘盖 - RC-Z2469 - 1611797



金属防尘盖 - RC-Z2104 - 1604260



设备连接器，板后安装 - CA-63P1N12HZ00 - 1410588

附件

金属防尘盖 - RC-Z2068 - 1604236



安装材料

颜色编码 - CA-Z0110 - 1620700



颜色编码，颜色: 绿色

颜色编码 - CA-Z0111 - 1620701



颜色编码，颜色: 橙色

颜色编码 - CA-Z0112 - 1620702



颜色编码，颜色: 黑色

拆装工具 - CA-Z0001 - 1620699



触点支架（用于插接在M23信号设备连接器中）的拆装工具