

MEAS | MEAS LDM-1000 TE Internal #: 02291333-000 TE Internal Description: LDM-1000 LVDT CONDITIONER DIN View on TE.com >



Sensors > Position Sensors > Signal Conditioners



Voltage Requirements: 10 – 18 VDC, 18 – 30 VDC
Output Signal Type: 4–20 mA
Transducer Type: LVDT or RVDT with 4, 5 or 6 wires
Operating Temperature Range: -25 – 85 °C [-13 – 185 °F]
Sensor Mount Type: Standard DIN-3 Rail Mount

Features

Product Type Features

Display Type

None

Electrical Characteristics

Voltage Requirements

10 - 18 VDC, 18 - 30 VDC

Excitation Voltage	1 Vrms, 3 Vrms
Signal Characteristics	
Number of Channels	1
Excitation Frequency	2.5 kHz, 5 kHz, 10 kHz
Mechanical Attachment	
Sensor Mount Type	Standard DIN-3 Rail Mount
Usage Conditions	
Operating Temperature Range	-25 – 85 °C[-13 – 185 °F]
Operation/Application	
Output Signal Type	4 – 20 mA
Other	
Transducer Type	LVDT or RVDT with 4, 5 or 6 wires

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (90% in Component Part) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




Also in the Series | MEAS LDM-1000

LDM-1000 LVDT CONDITIONER DIN





Customers Also Bought



HERM RECP	GA-HD LBB-3/5-PA-100A-4116	HERM RECP	PRESS,ISO,BACK-SIDE DIGITAL	
TE Part #GA10K3A1W2B DISC BTC	TE Part #1131-EEN-T-165-000 Barometric Air Pressure Sensor			

Documents

Datasheets & Catalog Pages LVDT/RVDT Signal Conditioning Module

English